INFORMATION FOR DISTRIBUTION COVER SHEET

Note to the Contractor:

You have 5 business days from the time you receive this contract to get your Payment Bond to the issuing office.

Your Payment Bond is to be for the full amount of the contract.

Notice to Proceed will not be issued until your Payment Bond is received and approved.

				O	RDER FO	OR SUPP	LIES OR SEE	RVICES						PAG	E 1 OF	50
1. CONTRACT/PUI AGREEMENT N W912DW-06-P	Ο.	R/		I MOA	RY ORDER/ (3. DATE OF ORD (YYYYMMMDD) 2005 Oct 31)	W68MD9-5				5.	PRIOR	ITY	
6. ISSUED BY USA ENGINEER I ATTN: CENWS-C 4735 EAST MARG SEATTLE WA 981:	T SINAL WAY			W912	2DW	USA SUS PH:2 SUS	DMINISTERED B' ENGINEER DISTRI AN VALENZUELA 06-764-6691 FAX: 20 AN.M.VALENZUELA TTLE WA	CT, SEATTL 06-764-6817)	CODE	W912DW	8.	X	VERY FO. DESTINA OTHER chedule if	ATION
NAME GILE AND 520	N INDUSTR BERT CARP SPEEDWEL	ETA L AV		34DJ	2		FACILITY	34DJ2	SEI	DELIVER TO TYYYYMMMI E SCHED DISCOUNT TO 14 DAYS	DD) ULE	DINT BY (D	ate) 1	X	K IF BUSII SMALL SMALL DISADVA WOMEN-0	NTAGED
										MAIL INV	OICES T	O THE AL	DDRESS IN	BLOCI	ζ	
14. SHIP TO RESOURCE MAN P.O. BOX 1120 BRIDGEPORT WA			CODE CODE	G3R0C	R0	US A CEF0 5722	AYMENT WILL E RMY CORPS OF EN C-AO-P 901- INTEGRITY DRIVE INGTON TN 38054-5	NGRS FINAN -874-8556		CODE R	W66KC	Z		PAC PAI IDEN NU	IARK AL KAGES A PERS WI VIIFICAT IMBERS CKS 1 AN	AND I'H I'ION IN
16. DELL TYPE CAL	IVERY/		This delivery or	der/call is	issued on ano	ther Governme	ent agency or in accor	dance with a	nd subject to	terms and co	onditions	of above nur	nbered contrac	et.		
OF	CHASE	Х	Reference your Furnish the foll			herein.	REF:									
If this box in 17. ACCOUNTING	ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME. NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD) (YYYYMMMDD) THIS box is marked, supplier must sign Acceptance and return the following number of copies: 17. ACCOUNTING AND APPROPRIATION DATA/ LOCAL USE See Schedule						SIGNED MMDD)									
18. ITEM NO.			19. SCF	EDULE	OF SUPPLI	ES/ SERVIC	CES	OI	JANTITY RDERED/ CCEPTED ²		UNIT	22. UNI	ΓPRICE		23. AM	OUNT
* If quantity accepts quantity ordered, in quantity accepted b	dicate by X. elow quantity	If di	ferent, enter actual ered and encircle.	SEE	TEL: (206)	764-3638 ine.m.ebe	OF AMERICA rt@usace.army.n		E Sa	ine W			25. TOTAL 26. DIFFERENCE		\$28,3	11.00
27a. QUANTITY INSPECTE			20 HAS BEEN CEIVED			CONFORMS PT AS NOTI										
b. SIGNATURE	b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE c. DATE d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE GOVERNMENT REPRESENTATIVE															
e. MAILING AD	DRESS OF	FAU	JTHORIZED GO	VERNM	IENT REPRI	ESENTATIV	Æ	28. SHIP	NO.	29. DO	VOUCH	ER NO.	30. INITIALS			
f. TELEPHONE NUMBER g. E-MAIL ADDRESS PARTIAL FINAL 32. PAID BY				33. AMOU CORRECT		RIFIED										
36. I certify thi								31. PAYM					34. CHEC	K NUM	IBER	
a. DATE (YYYYMMMDD)	D. S	W	IATURE AND T	ILE OF	CEKTIFYII	nd Officei	X.	PA	MPLETE RTIAL JAL				35. BILL (OF LAI	OING NO.	
37. RECEIVED A	AT	3	8. RECEIVED B	Y		39. DATE R		40. TOTA		41. S/R	ACCOU	NT NO.	42. S/R V	OUCH	ER NO.	

Section Supplies or Services and Price

NOTES:

Completion Date: No Later Than 15 December 2005.

Contracting Officer's Representative (COR): Laura Beauregard, Phone: 509-686-2225

Government Point of Contact: Robert Fischer, Phone 509-686-3540

Web Invoicing System (WInS)

WInS is an optional online invoicing system providing Department of Defense vendors an electronic means of submitting invoices for payment. Vendor registration for WinS is accomplished through the following DFAS website: https://ecweb.dfas.mil At the website click on NEW Account to register and select "USACE" as the payment system name. The payment office code and location is "TO-UFC Millington". To establish an account in WInS, vendors must be registered with the Central Contractor Registration (CCR).

All invoices are to be submitted in accordance with the instructions above, or mailed to:

US ARMY CORPS OF ENGRS FINANCE CENTER CEFC-AO-P 901-874-8556 5722 INTEGRITY DRIVE MILLINGTON TN 38054-5005

It is requested that a copy of all invoices are to be mailed to:

US ARMY CORPS OF ENGINEERS CHIEF JOSEPH DAM ATTN: ROBERT FISCHER HIGHWAY 17 PEARL HILL ROAD BRIDGEPORT WA 98813-1120

TEL: 509-686-3540

CF: CONTRACTOR: zionindust@hotpop.com

CENWS-OD-CJ, Robert Fischer CENWS-OD-CJ, Laura Beauregard, COR CENWS-OD-CJ, Nancy Cornehl CENWS-OD-CJ, Thomas Heinrich FILE

Page 3 of 58

ITEM NO SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE AMOUNT 0001 1 Lump Sum \$28,311.00 NTE

POWERLINE REPAIR -- Project No.: 131437

FFP

Provide all labor, materials, equipment and supplies necessary to complete the project: Mitigation Site #15 Overhead Powerline Repair, River Crossing Near Columbia River Mile Designation #573.5 in accordance with the Scope of Work dated 6 June 2006 as hereby incorporated herein. Davis Bacon Wage Determination No. WA20030001, Mod 38, Dated 10/14/2005 is applicable and applies to this project as incorporated herein.

PURCHASE REQUEST NUMBER: W68MD9-5285-8193

NET AMT \$28,311.00

ACRN AA Funded Amount \$28,311.00

FOB: Destination

Section DD1155 - Continuation Sheet

<u>S.O.W.</u>

Scope of Work

Mitigation Site #15 Overhead Powerline Repair River crossing near Columbia River Mile Designation #573.5 6 June 2005, CJD Tech. Section- CCC (NVEC Comments Inserted)

A. General Information:

- 1. Reference attached two drawings for details.
- 2. Both line structures, including hardware and lines, are owned by the Corps of Engineers, Chief Joseph Dam (CJD), Resources Section
- 3. The Corps of Engineers, Chief Joseph Dam (CJD) point of contact (POC) is Bob Fischer (509-686-3540), and CJD Technical POC is Clay Childson (509-686-2253)
- 4. Power to these powerlines is provided by Nespelem Valley Electric Co-Op, Inc. (NVEC) PO Box 31, Nespelem, WA- 99155: Contacts are 509-634-4571, Bob Poch Cell# 509-647-3148.
- 5. Subject powerline voltage is 12.4KV_{L-L} / 7.2KV_{L-N}
- 6. Both the two shield/neutral wires and the three line/phase conductors (five lines total) are constructed of #1/0 ACSR bare conductor.
- Left-bank pole-mount transformer information: 3 each, 10KVA (possibly 15KVA), 7KV_{L-N} 277V_{L-N}, single-phase, wye-connected, distribution transformer.
- 8. Except for the aluminum 15KV cable and associated terminators (to be furnished by NVEC and installed by Contractor), the Contractor shall provide (furnish and install) all materials needed for all new components, and for all replacement components that have been determined unusable/scrap. Reference Bill of Material List, incorporated herein.
 - NOTE: The Contractor shall obtain prior CJD POC approval before replacement of any materials identified by the Contractor as unusable, and that is not listed in the Government's Bill of Materials.
- Contractor shall be responsible for maintaining a safe and clean site. Contractor shall be responsible for the removal and proper disposal of all scrap materials.
 NOTE: All crossarms removed from the pole-structures shall be given to NVEC for disposal.
- 10. Contractor shall produce and provide CJD POC with two full-size copies of as-built drawings during closeout of the project.

B. Safety Issues:

- Prior to beginning any work, the Contractor and CJD POC shall contact Nespelem Valley Electric Co-Op, Inc. (NVEC)- PO Box 31, Nespelem, WA- 99155: 509-634-4571, Bob Poch Cell# 509-647-3148, so that Contractor can coordinate their work with NVEC, and obtain a work safety clearance from NVEC for working on the line.
- 2. Contractor shall be responsible for installing and removing work safety grounds.
- 3. Contractor shall be responsible for providing and maintaining safe work areas. Safety/Caution (Overhead Work) signs shall be provided in areas where overhead work is occurring.

4. Contractor shall coordinate with CJD POC for maintaining control and safety of river traffic during periods of work involving the replacement of the downed powerline. Contractor shall provide the CJD POC with at least a 72-hour prior notice before needing river control.

C. Basic Scope of Work

Contractor is responsible for supplying all materials, equipment, and labor necessary to complete the following work.

- 1. Right Bank Power-pole Structure Repair Work (Reference attached drawing, Drawing #1 for details) The basic scope of work is to shorten/lower the top of this structure by approximately 12 feet in height. Contractor shall transfer/lower all reusable materials, and replace and relocate all unusable materials that are/were presently/previously attached to the top 12 feet of this power-pole structure, to a location approximately 12 feet below where they presently exist or existed. Contractor shall replace river crossing's downed powerline.
- 2. Left Bank Power-pole Structure Work (Reference attached Drawing #2 for details)

The basic/general scope of work for this bank is to move/relocate the existing three(3) 10KVA (possibly 15KVA), 7KV_{L-N}-277V_{L-N}, single-phase, wye-connected, pole-mounted distribution transformers, with their associated cutouts, and lightning arresters, to a lower location on the pole that will be approximately 25 feet above ground level. Lowering the transformers and their associated components will make them accessible from the ground when using a long hotstick.

D. Detailed Scope of Work:

Contractor is responsible for supplying all materials, equipment, and labor necessary to complete the following work.

- 1. <u>Right Bank Power-pole Structure Repair Work</u> (Reference attached Drawing #1). The scope of work is to shorten/lower the top of this structure by approximately 12 feet in height. The Contractor shall:
 - a. Obtain a work safety clearance on the powerline from NVEC.
 - b. Provide (furnish and install) all materials needed to complete this work (Reference Bill of Material List). NOTE: The Contractor shall obtain prior CJD POC approval for replacement of any unlisted material deemed unusable by the Contractor, and that is not listed in the Government's Bill of Materials.
 - c. Install two new pole crossarms, 6"w x 10"h x 34'long, of high-grade structural timber, one crossarm on each side of poles, at a point approximately 12 feet below existing burnt crossarms.
 - d. Transfer/lower, keeping in the same pole arrangement, all reusable materials (wiring, insulators, hardware, etc...) that are presently attached to the top 12 feet of this power-pole structure to a location approximately 12 feet below where they presently exist. Consisting of:
 - 1) Guy wires
 - Both "W" type guy wires (7/16"EHS), between poles (15 ft. long), and associated hardware.
 - Both outside poles' "X", "Y", & "Z" guy wires, and associated hardware.
 - Inside pole "X" guy wires, and associated hardware.
 - 2) Two sets (two insulators/set) of upstream powerlines' pin-type insulators, and associated jumperwires, wire-wraps, and fittings. The downed line's set of pin-insulator brackets, if reusable.

 NOTE: After each bracket is vertically plumbed, install an additional ½" lag screw into the bottom

hole of each pin-type insulator support bracket (there must be a minimum of one throughbolt and one lag screw in each insulator support bracket.).

- 3) Both sets (both sides of the pole) of overhead neutral/shield wires, and associated hardware.
- 4) Both sets (both sides of the pole) of upstream overhead powerline conductors, and associated hardware.
- e. Remove existing two burnt crossarms, and give to NVEC.
- f. Angle-cut (at approximately 15° from horizontal) approximately the top twelve(12') feet from the structure's two undamaged poles, and then similarly angle-cut the remaining damaged pole to match the height of the two previous shortened poles. Treat/coat cut pole tops with a "pole-cap" type of coating. Coating should be a thickness of not less than 1/4".
- g. Replace downed powerline's hardware on both sides of pole's crossarms. Replace the powerline's two broken pin-type insulators, and if undamaged reuse their existing support brackets.
 NOTE: As with the previously reinstalled insulator support brackets, after the bracket is vertically plumbed install an additional ½" lag screw into the bottom hole of each pin-type insulator

support bracket (there must be a minimum of one bolt and one lag screw in each insulator support bracket.).

- h. Replace downed conductor, string new #1/0 ACSR conductor across river, between the Left and Right Bank pole structures.
- i. Adjust new powerline phase conductor to same elevation (final-sag/slack) of other two existing powerline phases' final-sag/slack elevation.
- j. Install new line's terminations (barrel compression fittings), and attach both ends of the line to their respective pole structure suspension insulators.
- k. Install new line's associated jumper/crossover-wires, wire-wraps, and fittings across crossarm pin-type insulators and phase line.
- I. All unused holes in both the poles and crossarms shall be treated with wood preservative and plugged with tight fitting cedar plugs.
- m. Pole length indication on manufacturer's brand or tag shall be obliterated, and the new pole's new/shorter length shall be indicated.
- n. Verify all ground, neutral, and phase conductors are properly terminated.

2. <u>Left Bank Power-pole Structure Work</u> (Reference attached Drawing #2)

The scope of work for this bank is to lower the existing three(3) 10KVA (possibly 15KVA), 7KV_{L-N}-277V_{L-N}, single-phase, wye-connected, pole-mounted distribution transformers with their associated cutouts, and lightning arresters, to a location on each pole that is approximately 25 feet above ground level. Contractor shall:

- a. Obtain a work safety clearance on the power line from the utility (NVEC) providing power to this structure.
- b. On each pole structure, relocate/lower transformers existing ¾" secondary-service entrance conduit with two #8 AWG 600V cables inside the conduit, to position approximately 20 feet from the ground. For both 600V cables, at least ten feet (10') of cable should extend outside each conduit's lowered weather-head. This cable slack will be needed later when the pole-transformer is relocated nearby.
- c. Verify that the powerline pin-type insulators, and associated jumper-wires, wire-wraps, and fittings are properly positioned.
 - NOTE: As with previously reinstalled insulator support brackets on the Right Bank, if only one bolt is holding the bracket, vertically plumb the bracket and install an additional ½" lag screw into the bottom hole of the pin-type insulator support bracket (there must be a minimum of one bolt and one lag screw in each insulator support bracket.).
- d. At each pole structure, relocate each existing pole-transformer, with its associated cutout and lightning arrester, from their present pole locations, to a lower position on the pole. Each pole-transformer shall be relocated on its pole to a position where the top of the transformer can is approximately 23 feet above ground level. Mount each transformer's associated cutout and arrester just above the transformer at a position approximately 25 feet from ground level.
- e. At each pole, extend a #4 AWG hard-drawn copper neutral conductor from the neutral/shield wire, at the top of the pole, to each pole-transformer's H2 high-side bushing. Secure/staple the neutral/ground wire along the side of each pole using staples at approximately five-foot intervals.
- f. At each pole structure, install new 1-1/2" primary-service conduit (rigid galvanized-steel with insulated conduit bushing fitting) from the top of pole (just below the top crossarms) to within approximately 3 feet above the transformer's new location.
- g. At each pole, install approximately 60 feet of new #2 AWG AL. 15KV insulated primary-service cable inside the new 1-1/2" conduit that's located between the upper and lower cross arms. Approximately 10 feet of cable should extend out of both ends of the conduit. Terminate top-section of #2 AWG AL. 15KV cable to its associated overhead power line. Terminate the lower-section of 15KV cable to the top of its associated arrester, and install a #2 AWG AL. 15KV cable jumper from the top of the arrester to the top of its associated cutout.
 - NOTE: Approximately 250 feet of #2 AWG AL. 15KV insulated cable and terminators will provided by NVEC and installed by Contractor.
- h. At each pole, terminate a #2 AWG AL. 15KV cable from the bottom of each cutout to its associated transformer's high-side, "H1", bushing.

- i. At each pole, reconnect the 600V cables, installed in item "b" above, to the transformer's low-side bushings. Connect the black-colored cable to the "X1" bushing, and connect the white-colored cable to the "X2" bushing.
- j. Using #4 AWG bare solid-copper wire, connect the bottom of each arrester to the neutral/ground wire.
- k. Install a ground-wire molding on each pole to cover pole's ground wire at each pole's transformer/cutout/arrester location.
- I. Plug all unused holes in the poles and crossarms with tight fitting cedar plugs.
- m. Verify all ground, neutral, and phase conductors are properly terminated.

E. Bill of Material List: (Contractor Furnish & Install)

Item #	Item Description	Qty.	Cost	Total Cost
1	Pole crossarms, 6"wide x 10"high x 34 ft. long, high-grade structural timber	2 ea.		
2	Suspension/Dead-end insulator, 6", with clevis pin; similar to Lapp #6605-70	4 ea.		
3	Pin-type insulator, #2 AWG AL. 15KV, with wire-wrap to hold #1/0 ACSR conductor; similar to Lapp #7061R-70	2 ea.		
4	Support Bracket for above pin-type insulators, if existing brackets are unusable	2 ea.		
5	Lag screw, ½" x 4", galvanized-steel, for additional stability of pin-type insulator support brackets	12 ea.		
6	Barrel compression terminal with clevis pin, for #1/0 ACSR conductor;	3 ea.		
7	Eyelet bolt, 3/4", galvanized-steel, each with two each 4"x4"x1/4" square- flat washers	3 ea.		
8	Eye nut, ¾", galvanized-steel, for item #6 above	3 ea.		
9	Wire, #1/0 ACSR	2,500 ft.		
10	Wire, #4 AWG solid bare-copper, hard-drawn, for ground/neutral conductor	250 ft.		
11	Staples, ground-wire, for attaching #4 AWG hard-drawn copper ground/neutral wire to wooden pole	200 ea.		
12	Conduit, 1-1/2" rigid galvanized—steel, with couplings, for #2 AWG AL. 15KV cable runs from the overhead lines to new pole-transformer positions. (3-50' lengths)	150 ft.		
13	Bushing, 1-1/2" conduit, metallic, insulated throat	6 ea.		
14	Strap, 1-1/2" conduit, 2-hole, galvanized-steel	40 ea.		
15	Lag screw, ¼ " x 2-1/2", galvanized-steel, for conduit straps	100 ea.		
16	Molding, ground-wire, Douglas-fir, 8-foot lengths	3 ea.		

F. Testing

- 1. When ready for testing the new construction:
 - a. Contact CJD POC at least 72-hours prior to proposed test date so that CJD POC can coordinate the testing. For example:
 - 1) Notify NVEC of Contractor's proposed test schedule
 - 2) Schedule CJD POC to witness testing
 - 3) Setup control and safety of river traffic during proposed periods for testing the overhead powerlines. We don't what an energized line dropping on boaters, or on people standing on the banks under the lines.
 - b. On proposed test date:
 - 1) Contact CJD POC for coordination of the test
 - 2) Verify line is ready for testing (all personal safety grounds have been removed).
 - 3) Contact NVEC to have the line inspected and energized.
 - 4) Perform a visual inspection of the energize powerline and modified pole structures for any abnormal conditions.

- 5) Verify proper operating voltages at the pole-transformers and/or at the electrical equipment cabinet locations.
- 6) Correct any problems.
- G. Contractor and CJD POC shall perform final work inspection and project closeout.
 - 1. Final Work Inspection and Acceptance:
 - a. Contractor schedules a final work inspection with CJD POC.
 - b. Contractor and CJD POC perform a final work inspection, and correct any problems.
 - c. CJD POC verifies work site is clean of all contractor-related equipment and material.
 - d. Contractor obtains CJD POC acceptance of completed work.
 - 2. Contractor and CJD POC shall perform a Project Closeout consisting of:
 - a. Contractor turns line over to CJD's POC.
 - b. Contractor submits as-built drawings to CJD POC
 - c. Contractor returns all Government property to CJD POC.
 - d. Contractor and CJD POC complete a Project Closeout Completion Report
 - e. Contractor exits site.

Scope of Work Cost Sheet Mitigation Site #15 Overhead Powerline Repair CCC-6 June 2005 (NVEC Comments Added)

Item #	Item Work Description	Unit Cost	Total Cost
Α	Provide (furnish and install) all materials needed to complete this work (Reference Bill of		
	Material List)		
В	Site Mobilization		
С	Obtain a work safety clearance on the powerline from NVEC.		
D	Right Bank Power-pole Structure Repair Work		
	1. Install two new pole crossarms, 6"w x 10"h x 34'long, of high-grade structural		
	timber		
	2.Transfer/lower, keeping in the same pole arrangement, all reusable materials		
	3. Remove and dispose of existing two burnt crossarms		
	4. Angle-cut (at approximately 15° from horizontal) approximately the top twelve(12')		
	feet from the structure's two undamaged poles, and then similarly angle-cut the		
	remaining damaged pole to match the height of the two previous shortened poles.		
	5. Replace downed powerline's hardware on both sides of pole's crossarms.		
	6. Replace the powerline's two broken pin-type insulators, and if reusable, reuse their		
	existing support brackets (replace if unusable).		
	7. Replace downed conductor, string new #1/0 ACSR conductor across river, between		
	the Left and Right Bank pole structures		
	8. Adjust new powerline phase conductor to same elevation (final-sag/slack) of other		
	two existing powerline phases' final-sag/slack elevation.		
	9. Install new line's terminations (barrel compression fittings), and attach both ends		
	of the line to their respective pole structure suspension insulators.		
	10. Install new line's associated jumper/crossover-wires, wire-wraps, and fittings		
	across crossarm pin-type insulators and phase line		
	11. Plug all unused holes in both the poles and crossarms with tight fitting cedar plugs.		
	12. Pole length indication on manufacturer's brand or tag shall be obliterated, and the		
	new pole's new/shorter length shall be indicated		
Е	Left Bank Power-pole Structure Work		
	1. At each pole structure, relocate/lower transformers existing 3/4" secondary-service		
	entrance conduit, and two (2) #8 AWG 600V cables inside the conduit, to position		
	approximately 20 feet from the ground.		
	2. Verify that the powerline pin-type insulators, and associated jumper-wires, wire-		
	wraps, and fittings are properly positioned (there must be a minimum of one bolt		
	and one lag screw in each insulator support bracket.).		
	3. At each pole structure, relocate each existing pole-transformer, with its associated		
	cutout and lightning arrester, from their present pole locations, to a lower position		
	on the pole.		
	4. At each pole structure, extend a #4 AWG hard-drawn copper neutral conductor from		
	the neutral/shield wire, at the top of the pole, to each pole-transformer's H2 high-		
	side bushing. Secure/staple the neutral/ground wire along the side of each pole		
	using staples at approximately five-foot intervals.		
	5. At each pole structure, install new 1-1/2" primary-service conduit		
	6. At each pole, install a new #2AWG AL. 15KV insulated primary-service cable inside		
	the new 1-1/2" conduit.		

E	7. At each pole:	
(cont'	a. Terminate the #2AWG AL. 15KV cable at the top of the conduit to its associated	
d)	overhead powerline.	
	b. Terminate the #2AWG AL. 15KV cable, at the bottom end of the conduit, to the	
	top of its associated arrester.	
	c. Install #4 AWG hard-drawn bare copper jumpers between the top of each pole's	
	arrester and the top of its associated cutout.	
	d. Install #4 AWG hard-drawn bare copper jumpers between the bottom of each	
	pole's cutout and its associated transformer's high-side, "H1", bushing.	
	e. Install #4 AWG hard-drawn bare copper jumper between the bottom of each	
	arrester to the neutral/ground wire.	
	8. At each pole, reconnect the 600V cables, installed in item "b" above, to the	
	transformer's low-side bushings. Connect the black-colored cable to the "X1"	
	bushing, and connect the white-colored cable to the "X2" bushing.	
	9. Install ground-wire molding on each pole to cover pole's ground wire at each pole's	
	transformer/cutout/arrester location.	
	All unused holes in the poles and crossarms shall be treated with wood	
	preservative and plugged with tight fitting cedar plugs.	
F	Testing	
G	Perform final work inspection and project closeout	
Н	Site Demobilization	
	TOTAL COST	

ACCOUNTING AND APPROPRIATION DATA

AA: 96X31230000 082433 25209461DH003200 NA 96453

COST 000000000000

CODE:

AMOUNT: \$28,311.00

CLAUSES INCORPORATED BY REFERENCE

52.219-6	Notice Of Total Small Business Set-Aside	JUN 2003
52.222-6	Davis Bacon Act	JUL 2005
52.222-7	Withholding of Funds	FEB 1988
52.222-8	Payrolls and Basic Records	FEB 1988
52.222-9	Apprentices and Trainees	JUL 2005
52.222-10	Compliance with Copeland Act Requirements	FEB 1988
52.222-11	Subcontracts (Labor Standards)	JUL 2005
52.222-12	Contract Termination-Debarment	FEB 1988
52.222-13	Compliance with Davis -Bacon and Related Act Regulations.	FEB 1988
52.222-14	Disputes Concerning Labor Standards	FEB 1988
52.222-15	Certification of Eligibility	FEB 1988
52.223-6	Drug-Free Workplace	MAY 2001
52.232-27	Prompt Payment for Construction Contracts	OCT 2003

52.236-3	Site Investigation and Conditions Affecting the Work	APR 1984
52.236-5	Material and Workmanship	APR 1984
52.236-6	Superintendence by the Contractor	APR 1984
52.236-7	Permits and Responsibilities	NOV 1991
52.236-8	Other Contracts	APR 1984
52.236-9	Protection of Existing Vegetation, Structures, Equipment,	APR 1984
	Utilities, and Improvements	
52.236-10	Operations and Storage Areas	APR 1984
52.236-11	Use and Possession Prior to Completion	APR 1984
52.236-12	Cleaning Up	APR 1984
52.236-13	Accident Prevention	NOV 1991
52.242-14	Suspension of Work	APR 1984
52.243-5	Changes and Changed Conditions	APR 1984
52.246-21	Warranty of Construction	MAR 1994
52.249-10	Default (Fixed-Price Construction)	APR 1984
252.204-7004 Alt A	Central Contractor Registration (52.204-7) Alternate A	NOV 2003
252.217-7015	Safety and Health	DEC 1991
252.219-7011	Notification to Delay Performance	JUN 1998

CLAUSES INCORPORATED BY FULL TEXT

Successor Contracting Officers (52.201-4001)

The Contracting Officer who signed this contract is the primary Contracting Officer for the contract. Neverthless, any Contracting Officer assigned to the Seattle District and acting within his/her authority may take formal action on this contract when a contract action needs to be taken and the primary Contracting Officer is unavailable.

52.213-4 TERMS AND CONDITIONS--SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS) (JUL 2005)

- (a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses that are incorporated by reference:
- (1) The clauses listed below implement provisions of law or Executive order:
- (i) 52.222-3, Convict Labor (June 2003) (E.O. 11755).
- (ii) 52.222-21, Prohibition of Segregated Facilities (Feb 1999) (E.O. 11246).
- (iii) 52.222-26, Equal Opportunity (Apr 2002) (E.O. 11246).
- (iv) 52.225-13, Restrictions on Certain Foreign Purchases (MAR 2005) (E.o.s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- (v) 52.233-3, Protest After Award (Aug 1996) (31 U.S.C. 3553).
- (vi) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Pub. L. 108-77, 108-78).
- (2) Listed below are additional clauses that apply:

- (i) 52.232-1, Payments (Apr 1984).
- (ii) 52.232-8, Discounts for Prompt Payment (Feb 2002).
- (iii) 52.232-11, Extras (Apr 1984).
- (iv) 52.232-25, Prompt Payment (Oct 2003).
- (v) 52.233-1, Disputes (Jul 2002).
- (vi) 52.244-6, Subcontracts for Commercial Items (Jul 2004).
- (vii) 52.253-1, Computer Generated Forms (Jan 1991).
- (b) The Contractor shall comply with the following FAR clauses, incorporated by reference, unless the circumstances do not apply:
- (1) The clauses listed below implement provisions of law or Executive order:
- (i) 52.222-19, Child Labor--Cooperation with Authorities and Remedies (Jun 2004) (E.O. 13126). (Applies to contracts for supplies exceeding the micro-purchase threshold.)
- (ii) 52.222-20, Walsh-Healey Public Contracts Act (DEC 1996) (41 U.S.C. 35-45) (Applies to supply contracts over \$10,000 in the United States, Puerto Rico, or the U.S. Virgin Islands).
- (iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (DEC 2001) (38 U.S.C. 4212) (Applies to contracts of \$25,000 or more).
- (iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998) (29 U.S.C. 793) (Applies to contracts over \$10,000, unless the work is to be performed outside the United States by employees recruited outside the United States.) (For purposes of this clause, United States includes the 50 States, the District of Columbia, Puerto Rico, the Northern Mariana Islands, American Samoa, Guam, the U.S. Virgin Islands, and Wake Island.).
- (v) 52.222-37, Employment Reports on Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (DEC 2001) (38 U.S.C. 4212) (Applies to contracts over \$25,000).
- (vi) 52.222-41, Service Contract Act, As Amended (JUL 2005) (41 U.S.C. 351, et seq.) (Applies to service contracts over \$2,500 that are subject to the Service Contract Act and will be performed in the United States, District of Columbia, Puerto Rico, the Northern Mariana Islands, American Samoa, Guam, the U.S. Virgin Islands, Johnston Island, Wake Island, or the outer continental shelf lands.).
- (vii) 52.223-5, Pollution Prevention and Right-to-Know Information (Aug 2003) (E.O. 13148) (Applies to services performed on Federal facilities).
- (viii) 52.225-1, Buy American Act--Supplies (June 2003) (41 U.S.C. 10a-10d) (Applies to contracts for supplies, and to contracts for services involving the furnishing of supplies, for use in the United States or its outlying areas, if the value of the supply contract or supply portion of a service contract exceeds the micro-purchase threshold and the **acquisition**--
- (A) Is set aside for small business concerns; or
- (B) Cannot be set aside for small business concerns (see 19.502-2), and does not exceed \$25,000.)

- (ix) 52.232-33, Payment by Electronic Funds Transfer-Central Contractor Registration (May 1999). (Applies when the payment will be made by electronic funds transfer (EFT) and the payment office uses the Central Contractor Registration (CCR) database as its source of EFT information.)
- (x) 52.232-34, Payment by Electronic Funds Transfer--Other than Central Contractor Registration (Oct 2003). (Applies when the payment will be made by EFT and the payment office does not use the CCR database as its source of EFT information.)
- (xi) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241). (Applies to supplies transported by ocean vessels (except for the types of subcontracts listed at 47.504(d).)
- (2) Listed below are additional clauses that may apply:
- (i) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment (JAN 2005) (Applies to contracts over \$25,000).
- (ii) 52.211-17, Delivery of Excess Quantities (SEPT 1989) (Applies to fixed-price supplies).
- (iii) 52.247-29, F.o.b. Origin (JUN 1988) (Applies to supplies if delivery is f.o.b. origin).
- (iv) 52.247-34, F.o.b. Destination (NOV 1991) (Applies to supplies if delivery is f.o.b. destination).
- (c) FAR 52.252-2, Clauses Incorporated by Reference (FEB 1998). This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

http://www.arnet.gov/far http://www.farsite.hill.af.mil http://www.dtic.mil/dfars

- (d) Inspection/Acceptance. The Contractor shall tender for acceptance only those items that conform to the requirements of this contract. The Government reserves the right to inspect or test any supplies or services that have been tendered for acceptance. The Government may require repair or replacement of nonconforming supplies or reperformance of nonconforming services at no increase in contract price. The Government must exercise its postacceptance rights—
- (1) Within a reasonable period of time after the defect was discovered or should have been discovered; and
- (2) Before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.
- (e) Excusable delays. The Contractor shall be liable for default unless nonperformance is caused by an occurrence beyond the reasonable control of the Contractor and without its fault or negligence, such as acts of God or the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, and delays of common carriers. The Contractor shall notify the Contracting Officer in writing as soon as it is reasonably possible after the commencement of any excusable delay, setting forth the full particulars in connection therewith, shall remedy such occurrence with all reasonable dispatch, and shall promptly give written notice to the Contracting Officer of the cessation of such occurrence.
- (f) Termination for the Government's convenience. The Government reserves the right to terminate this contract, or any part hereof, for its sole convenience. In the event of such termination, the Contractor shall immediately stop all work hereunder and shall immediately cause any and all of its suppliers and subcontractors to cease work. Subject to the terms of this contract, the Contractor shall be paid a percentage of the contract price reflecting the percentage of

the work performed prior to the notice of termination, plus reasonable charges that the Contractor can demonstrate to the satisfaction of the Government, using its standard record keeping system, have resulted from the termination. The Contractor shall not be required to comply with the cost accounting standards or contract cost principles for this purpose. This paragraph does not give the Government any right to audit the Contractor's records. The Contractor shall not be paid for any work performed or costs incurred that reasonably could have been avoided.

- (g) Termination for cause. The Government may terminate this contract, or any part hereof, for cause in the event of any default by the Contractor, or if the Contractor fails to comply with any contract terms and conditions, or fails to provide the Government, upon request, with adequate assurances of future performance. In the event of termination for cause, the Government shall not be liable to the Contractor for any amount for supplies or services not accepted, and the Contractor shall be liable to the Government for any and all rights and remedies provided by law. If it is determined that the Government improperly terminated this contract for default, such termination shall be deemed a termination for convenience.
- (h) Warranty. The Contractor warrants and implies that the items delivered hereunder are merchantable and fit for use for the particular purpose described in this contract.

(End of clause)

52.228-13 ALTERNATIVE PAYMENT PROTECTIONS (JULY 2000)

- (a) The Contractor shall submit one of the following payment protections:
 - ? Payment Bond
 - ? Irrevocable Letter of Credit (ILC)
- (b) The amount of the payment protection shall be 100 percent of the contract price.
- (c) The submission of the payment protection is required within 5 calendar days of contract award.
- (d) The payment protection shall provide protection for the full contract performance period plus a one-year period.
- (e) Except for escrow agreements and payment bonds, which provide their own protection procedures, the Contracting Officer is authorized to access funds under the payment protection when it has been alleged in writing by a supplier of labor or material that a nonpayment has occurred, and to withhold such funds pending resolution by administrative or judicial proceedings or mutual agreement of the parties.
- (f) When a tripartite escrow agreement is used, the Contractor shall utilize only suppliers of labor and material that signed the escrow agreement.

(End of clause)

52.236-1 PERFORMANCE OF WORK BY THE CONTRACTOR (APR 1984)

The Contractor shall perform on the site, and with its own organization, work equivalent to at least one hundred (100%) percent of the total amount of work to be performed under the contract. This percentage may be reduced by a supplemental agreement to this contract if, during performing the work, the Contractor requests a reduction and the Contracting Officer determines that the reduction would be to the advantage of the Government.

(End of clause)

DAVIS BACON

GENERAL DECISION: WA20030001 10/14/2005 WA1

Date: October 14, 2005

General Decision Number: WA20030001 10/14/2005

Superseded General Decision Number: WA020001

State: Washington

Construction Types: Heavy (Heavy, and Dredging) and Highway

Counties: Washington Statewide.

HEAVY AND HIGHWAY AND DREDGING CONSTRUCTION PROJECTS (Excludes D.O.E. Hanford Site in Benton and Franklin Counties)

Modification	Number	Publication Date
0		06/13/2003
1		01/23/2004
2		02/06/2004
3		02/13/2004
4		03/05/2004
5		03/12/2004
6		04/16/2004
7		05/14/2004
8		06/18/2004
9		06/25/2004
10		07/02/2004
11		07/23/2004
12		08/06/2004
13		08/20/2004
14		09/03/2004
15		10/01/2004
16		10/15/2004
17		10/22/2004
18		11/05/2004
19		11/19/2004
20		12/03/2004
21		01/14/2005
22		02/18/2005
23		03/18/2005
24		03/25/2005
25		04/01/2005
26		04/22/2005
27		06/03/2005
28		06/10/2005
29		06/17/2005
30		07/08/2005
31		07/29/2005
32		08/12/2005
33		08/19/2005

34	09/09/2005
35	09/16/2005
36	09/23/2005
37	09/30/2005
38	10/14/2005

CARP0001-008 06/01/2005

	Rates	Fringes
Carpenters: COLUMBIA RIVER AREA - ADAMS, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GRANT, OKANOGAN (EAST OF THE 120TH MERIDIAN) AND WALLA WALLA COUNTIES		
GROUP 1:	25.29 24.45 24.18 59.90	7.75 7.75 7.75 7.75 7.75 7.75
GROUP 1:	24.61 23.77 23.51 58.24	7.75 7.75 7.75 7.75 7.75 7.75

CARPENTERS CLASSIFICATIONS

GROUP 1: Carpenter; Burner-Welder; Rigger and Signaler; Insulators (all types), Acoustical, Drywall and Metal Studs, Metal Panels and Partitions; Floor Layer, Sander, Finisher and Astro Turf; Layout Carpenters; Form Builder; Rough Framer; Outside or Inside Finisher, including doors, windows, and jams; Sawfiler; Shingler (wood, composition) Solar, Fiberglass, Aluminum or Metal; Scaffold Erecting and Dismantling; Stationary Saw-Off Bearer; Wire, Wood and Metal Lather Applicator

GROUP 2: Millwright, machine erector

GROUP 3: Piledriver - includes driving, pulling, cutting, placing collars, setting, welding, or creosote treated material, on all piling

GROUP 4: Bridge, dock and wharf carpenters

GROUP 5: Divers

GROUP 6: Divers Tender

ZONE PAY:

ZONE	1	0-45 MILES	FREE	
ZONE	2	46-65 MILES	\$2.00/PER	HOUR
ZONE	3	66-100 MILES	\$3.00/PER	HOUR
ZONE	4	OVER 100 MILES	\$4.50/PER	HOUR

DISPATCH POINTS:

CARPENTERS/MILLWRIGHTS: PASCO (2819 W. SYLVESTER) or Main Post Office of established residence of employee.

CARPENTERS/PILEDRIVER: SPOKANE (127 E. AUGUSTA AVE.) or Main Post Office of established residence of employee.

CARPENTERS: WENATCHEE (27 N. CHELAN) or Main Post Office of established residence of employee.

CARPENTERS: COEUR D' ALENE (1839 N. GOVERNMENT WAY) or Main Post Office of established residence of employee.

CARPENTERS: MOSCOW (302 N. JACKSON) or Main Post Office of established residence of employee.

DEPTH PAYY FOR DIVERS:

Each foot over 50-100 feet \$1.00 Each foot over 100-175 feet 2.25 Each foot over 175-250 feet 5.50

HAZMAT PROJECTS:

Anyone working on a HAZMAT job (task), where HAZMAT certification is required, shall be compensated at a premium, in addition to the classification working in as follows:

LEVEL D + \$.25 per hour - This is the lowest level of protection. No respirator is used and skin protection is minimal.

LEVEL C + \$.50 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B + \$.75 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit".

LEVEL A +\$1.00 per hour - This level utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line.

CARP0003-006 06/01/2005

SOUTHWEST WASHINGTON: CLARK, COWLITZ, KLICKITAT,

LEWIS(Piledriver only), PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to Willapa Bay to the Pacific Ocean), SKAMANIA AND WAHKIAKUM COUNTIES and INCLUDES THE ENTIRE PENINSULA WEST OF WILLAPA BAY

SEE ZONE DESCRIPTION FOR CITIES BASE POINTS

ZONE 1:

	Rates	Fringes
Carpenters:		
CARPENTERS; ACOUSTICAL\$	28.41	11.16
DIVERS TENDERS\$		11.16
DIVERS\$	67.18	11.16
DRYWALL\$		11.16
FLOOR LAYERS & FLOOR		
FINISHERS (the laying of		
all hardwood floors nailed		
and mastic set, parquet		
and wood-type tiles, and		
block floors, the sanding		
and finishing of floors,		
the preparation of old and		
new floors when the		
materials mentioned above		
are to be installed);		
INSULATORS (fiberglass and		
similar irritating		
materils\$	28.56	11.16
MILLWRIGHTS\$	28.91	11.16
PILEDRIVERS\$		11.16
PTH PAY:		
, mo 100 pppm - 61 00 ppp poom over	- FO BBBB	

50 TO 100 FEET \$1.00 PER FOOT OVER 50 FEET 150 TO 200 FEET 2.00 PER FOOT OVER 150 FEET

Zone Differential (Add up Zone 1 rates):

Zone 2 - \$0.85

Zone 3 - 1.25

Zone 4 - 1.70

Zone 5 - 2.00

Zone 6 - 3.00

BASEPOINTS: ASTORIA, LONGVIEW, PORTLAND, THE DALLES, AND VANCOUVER, (NOTE: All dispatches for Washington State Counties: Cowlitz, Wahkiakum and Pacific shall be from Longview Local #1707 and mileage shall be computed from that point.)

ZONE 1: Projects located within 30 miles of the respective city hall of the above mentioned cities

ZONE 2: Projects located more than 30 miles and less than 40 miles of the respective city of the above mentioned cities ZONE 3: Projects located more than 40 miles and less than 50 miles of the respective city of the above mentioned cities ZONE 4: Projects located more than 50 miles and less than 60 miles of the respective city of the above mentioned cities. ZONE 5: Projects located more than 60 miles and less than 70 miles of the respective city of the above mentioned cities ZONE 6: Projects located more than 70 miles of the respected city of the above mentioned cities

CARP0770-003 06/01/2005

	Rates	Fringes
Carpenters:		
CENTRAL WASHINGTON:		
CHELAN, DOUGLAS (WEST OF		
THE 120TH MERIDIAN),		
KITTITAS, OKANOGAN (WEST		
OF THE 120TH MERIDIAN) AND		
YAKIMA COUNTIES		
ACCOUSTICAL WORKERS\$	21.71	10.45
CARPENTERS AND DRYWALL		
APPLICATORS\$	21.45	10.45
CARPENTERS ON CREOSOTE		
MATERIAL\$	21.55	10.45
DIVERS TENDER\$	32.26	10.67
DIVERS\$	72.52	10.67
INSULATION APPLICATORS\$	21.45	10.45
MILLWRIGHT AND MACHINE		
ERECTORS\$	30.40	10.45
PILEDRIVER, BRIDGE DOCK		
AND WHARF CARPENTERS\$	29.40	10.45
PILEDRIVER, DRIVING,		
PULLING, CUTTING, PLACING		
COLLARS, SETTING, WELDING		
OR CRESOTE TREATED		
MATERIAL, ALL PILING\$	29.60	10.45
SAWFILERS, STATIONARY		
POWER SAW OPERATORS,		
FLOOR FINISHER, FLOOR		
LAYER, SHINGLER, FLOOR		
SANDER OPERATOR AND		
OPERATORS OF OTHER		
STATIONARY WOOD WORKING		
TOOLS\$	21.58	10.45

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - ALL CLASSIFICATIONS EXCEPT MILLWRIGHTS AND PILEDRIVERS

Hourly Zone Pay shall be paid on jobs located outside of the free zone computed from the city center of the following listed cities:

Seattle Olympia Bellingham Auburn Bremerton Anacortes Renton Shelton Yakima Aberdeen-Hoquiam Tacoma Wenatchee Ellensburg Everett Port Angeles Centralia Mount Vernon Sunnyside

Chelan Pt. Townsend

Zone Pay:

0 -25 radius miles Free 25-35 radius miles \$1.00/hour 35-45 radius miles \$1.15/hour 45-55 radius miles \$1.35/hour Over 55 radius miles \$1.55/hour

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - MILLWRIGHT AND PILEDRIVER ONLY)

Hourly Zone Pay shall be computed from Seattle Union Hall, Tacoma City center, and Everett City center

Zone Pay:

0 -25 radius miles Free \$.70/hour 25-45 radius miles Over 45 radius miles \$1.50/hour

CARP0770-006 06/01/2005

Rates Fringes

Carpenters:

WESTERN WASHINGTON: CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS (excludes piledrivers only), MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, BRIDGE, DOCK & WHARF

THURSTON AND WHATCOM COUNTIES ACOUSTICAL WORKERS.....\$ 29.56 10.67 CARPENTERS.....\$ 29.40 10.67 CARPENTERS AND DRYWALL APPLICATORS.....\$ 29.40 10.67 CARPENTERS ON CREOSOTE MATERIAL....\$ 29.50 10.67 DIVERS TENDER.....\$ 32.26 10.67 DIVERS.....\$ 72.52 10.67 INSULATION APPLICATORS.....\$ 29.40 10.67 MILLWRIGHT AND MACHINE ERECTORS.....\$ 30.40 10.67

PILEDRIVER, DRIVING,

PULLING, CUTTING, PLACING

COLLARS, SETTING, WELDING

OR CRESOTE TREATED

MATERIAL, ALL PILING......\$ 29.60 10.67

SAWFILERS, STATIONARY POWER SAW OPERATORS, FLOOR FINISHER, FLOOR LAYER, SHINGLER, FLOOR SANDER OPERATOR AND

OPERATORS OF OTHER

STATIONARY WOOD WORKING

10.67 TOOLS.....\$ 29.53

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - ALL CLASSIFICATIONS EXCEPT MILLWRIGHTS AND PILEDRIVERS

Hourly Zone Pay shall be paid on jobs located outside of the free zone computed from the city center of the following listed cities:

Seattle Olympia Bellingham Auburn Bremerton Anacortes Shelton Yakima Renton Wenatchee Aberdeen-Hoquiam Tacoma Ellensburg Everett Port Ange.
Centralia Mount Vernon Sunnyside Port Angeles

Chelan Pt. Townsend

Zone Pay:

Free 0 -25 radius miles 25-35 radius miles \$1.00/hour 35-45 radius miles \$1.15/hour \$1.35/hour 45-55 radius miles Over 55 radius miles \$1.55/hour

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - MILLWRIGHT AND PILEDRIVER ONLY)

Hourly Zone Pay shall be computed from Seattle Union Hall, Tacoma City center, and Everett City center

Zone Pay:

0 -25 radius miles Free 25-45 radius miles \$.70/hour Over 45 radius miles \$1.50/hour

ELEC0046-001 06/06/2005

CALLAM, JEFFERSON, KING AND KITSAP COUNTIES

	Rates	Fringes
Cable splicer\$		3%+12.64
 Electrician\$	33.50	3%+12.64

ELEC0048-003 01/01/2005

CLARK, KLICKITAT AND SKAMANIA COUNTIES

	Rates	Fringes
Cable splicer\$ Electrician\$		3%+\$13.05 3%+\$13.05
ELEC0073-001 07/01/2005		
ADAMS, FERRY, LINCOLN, PEND OREILL COUNTIES	E, SPOKANE,	STEVENS, WHITMAN
	Rates	Fringes
Cable splicer\$ Electrician\$		3%+11.73 3%+11.73
ELEC0076-002 09/01/2005		
GRAYS HARBOR, LEWIS, MASON, PACIFIC	C, PIERCE,	AND THURSTON
	Rates	Fringes
Cable splicer\$ Electrician\$		3%+12.91 3%+12.91
ELEC0077-002 02/01/2005		
	Rates	Fringes
Line Construction: CABLE SPLICERS\$ GROUNDMEN\$ LINE EQUIPMENT MEN\$ LINEMEN, POLE SPRAYERS, HEAVY LINE EQUIPMENT MAN\$ POWDERMEN, JACKHAMMERMEN\$ TREE TRIMMER\$	24.68 30.32 35.25 26.44	3.875%+9.75 3.875%+8.00 3.875%+8.00 3.875%+9.75 3.875%+8.00 3.875%+7.94
ELEC0112-005 06/01/2005		
ASOTIN, BENTON, COLUMBIA, FRANKLIN WALLA, YAKIMA COUNTIES	, GARFIELD,	KITTITAS, WALLA
	Rates	Fringes
Cable splicer\$ Electrician\$		3%+12.28 3%+12.43
ELEC0191-003 09/01/2005		
ISLAND, SAN JUAN, SNOHOMISH, SKAGI	T AND WHATC	OM COUNTIES
	Rates	Fringes
Cable splicer\$ Electrician\$		3%+11.72 3%+11.72

ELEC0191-004 09/01/2005

CHELAN, DOUGLAS, GRANT AND OKANOGAN COUNTIES

	Rates	Fringes
Cable splicer		3%+11.67 3%+11.67

ELEC0970-001 01/01/2005

COWLITZ AND WAHKIAKUM COUNTIES

	Rates	Fringes
Cable splicer\$ Electrician\$		3%+10.60 3%+10.60

ENGI0302-003 06/01/2005

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

PROJECTS: CATEGORY A PROJECTS (EXCLUDES CATEGORY B PROJECTS, AS SHOWN BELOW)

Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
Group 1A	31.08	11.05
Group 1AA	31.63	11.05
Group 1AAA	32.17	11.05
Group 1	30.54	11.05
Group 2	30.07	11.05
Group 3	29.66	11.05
Group 4	27.37	11.05

Zone Differential (Add to Zone 1 rates):
 Zone 2 (26-45 radius miles) - \$.70
 Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent, Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton, Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1AAA - Cranes-over 300 tons, or 300 ft of boom (including jib with attachments) $\,$

GROUP 1AA - Cranes 200 to 300 tons, or 250 ft of boom (including jib with attachments); Tower crane over 175 ft in height, base to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway: Cranes 45 tons thru 99 tons, under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader- overhead 6 yards to, but not including 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9, HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self propelled 45 yards and over; Slipform pavers; Transporters, all truck or track type

GROUP 2 - Barrier machine (zipper); Batch Plant Operaor-Concrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-overhead, bridge type-20 tons through 44 tons; Chipper; Concrete Pump-truck mount with boom attachment; Crusher; Deck Engineer/Deck Winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing Machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Horizontal/directional drill operator; Loaders-overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics-all; Mixers-asphalt plant; Motor patrol graders-finishing; Piledriver (other than crane mount); Roto-mill, roto-grinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self propelled, hard tail end dump, articulating off-road equipment-under 45 yards; Subgrade trimmer; Tractors, backhoes-over 75 hp; Transfer material service machine-shuttle buggy, blaw knox-roadtec; Truck crane oiler/driver-100 tons and over; Truck Mount portable conveyor; Yo Yo Pay dozer

GROUP 3 - Conveyors; Cranes-thru 19 tons with attachments; A-frame crane over 10 tons; Drill oilers-auger type, truck or crane mount; Dozers-D-9 and under; Forklift-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loader-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pumps-concrete; Roller, plant mix or multi-lift materials; Saws-concrete; Scrpers-concrete and carry-all; Service engineer-equipment; Trenching machines; Truck Crane Oiler/Driver under 100 tons; Tractors, backhoe 75 hp and under

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor;

Concrete finish mahine-laser screed; Cranes-A frame-10 tons and under; Elevator and Manlift-permanent or shaft type; Gradechecker, Stakehop; Forklifts under 3000 lbs. with attachments; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole digger, mechanical; Power plant; Pumps, water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

- 1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
- 3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

ENGI0302-009 06/01/2005

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH GROUP SHALL BE 95% OF THE BASE RATE PLUS FULL FRINGE BENEFITS. ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

WORK PERFORMED ON HYDRAULIC DREDDGES: Zone 1 (0-25 radius miles):

Rates Fringes

Power equipment operators: GROUP 1

TOTAL PROJECT COST		
\$300,000 AND OVER\$	29.23	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	26.96	8.40
GROUP 2		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	29.35	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	27.06	8.40
GROUP 3		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	29.72	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	27.38	8.40
GROUP 4		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	29.77	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	27.43	8.40
GROUP 5		
TOATL PROJECT COST		
\$300,000 AND OVER\$	31.29	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	28.75	8.40
GROUP 6		
TOTAL PROJECT COST		
\$300,000 AND OVER\$	29.23	11.05
TOTAL PROJECT COST UNDER		
\$300,000\$	26.96	8.40

Zone Differential (Add to Zone 1 rates):
 Zone 2 (26-45 radius miles) - \$.70

Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent, Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton, Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 - ASSISTANT MATE (DECKHAND)

GROUP 2 - OILER

GROUP 3 - ASSISTANT ENGINEER (ELECTRIC, DIESEL, STEAM OR BOOSTER PUMP); MATES AND BOATMEN

GROUP 4 - CRANEMAN, ENGINEER WELDER

GROUP 5 - LEVERMAN, HYDRAULIC

GROUP 6 - MAINTENANCE

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the

contract.

- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
- 3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HEAVY WAGE RATES (CATEGORY A) APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

- H-2 Class "C" Suit Base wage rate plus \$.25 per hour.
- H-3 Class "B" Suit Base wage rate plus \$.50 per hour.
- H-4 Class "A" Suit Base wage rate plus \$.75 per hour.

ENGI0370-002 06/01/2005

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

ZONE 1:

	Rates	Fringes
Power equipment operators:		
GROUP 1A\$	21.79	7.87
GROUP 1\$	22.34	7.87
GROUP 2\$	22.66	7.87
GROUP 3\$	23.27	7.87
GROUP 4\$	23.43	7.87
GROUP 5\$	23.59	7.87
GROUP 6\$	23.87	7.87
GROUP 7\$	24.14	7.87
GROUP 8\$	25.24	7.87

ZONE DIFFERENTIAL (Add to Zone 1 rate): Zone 2 - \$2.00

Zone 1: Within 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

Zone 2: Outside 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1A: Boat Operator; Crush Feeder; Oiler; Steam Cleaner

GROUP 1: Bit Grinders; Bolt Threading Machine; Compressors (under 2000 CFM, gas, diesel, or electric power); Deck Hand; Drillers Helper (Assist driller in making drill rod connections, service drill engine and air compressor, repair drill rig and drill tools, drive drill support truck to and on the job site, remove drill cuttings from around bore hole and inspect drill rig while in operation); Fireman & Heater Tender; Grade Checker; Hydro-seeder, Mulcher, Nozzleman; Oiler Driver, & Cable Tender, Mucking Machine; Pumpman; Rollers, all types on subgrade, including seal and chip coatings (farm type, Case, John Deere & similar, or Compacting Vibrator), except when pulled by Dozer with operable blade; Welding Machine

GROUP 2: A-frame Truck (single drum); Assistant Refrigeration Plant (under 1000 ton); Assistant Plant Operator, Fireman or Pugmixer (asphalt); Bagley or Stationary Scraper; Belt Finishing Machine; Blower Operator (cement); Cement Hog; Compressor (2000 CFM or over, 2 or more, gas diesel or electric power); Concrete Saw (multiple cut); Distributor Leverman; Ditch Witch or similar; Elevator Hoisting Materials; Dope Pots (power agitated); Fork Lift or Lumber Stacker, hydra-lift & similar; Gin Trucks (pipeline); Hoist, single drum; Loaders (bucket elevators and conveyors); Longitudinal Float; Mixer (portable-concrete); Pavement Breaker, Hydra-Hammer & similar; Power Broom; Railroad Ballast Regulation Operator (self-propelled); Railroad Power Tamper Operator (self-propelled); Railroad Tamper Jack Operator (self-propelled; Spray Curing Machine (concrete); Spreader Box (self-propelled); Straddle Buggy (Ross & similar on construction job only); Tractor (Farm type R/T with attachment, except Backhoe); Tugger Operator

GROUP 3: A-frame Truck (2 or more drums); Assistant Refrigeration Plant & Chiller Operator (over 1000 ton); Backfillers (Cleveland & similar); Batch Plant & Wet Mix Operator, single unit (concrete); Belt-Crete Conveyors with power pack or similar; Belt Loader (Kocal or similar); Bending Machine; Bob Cat; Boring Machine (earth); Boring Machine (rock under 8 inch bit) (Quarry Master, Joy or similar); Bump Cutter (Wayne, Saginau or similar); Canal Lining Machine (concrete); Chipper (without crane); Cleaning & Doping Machine (pipeline); Deck Engineer; Elevating Belt-type Loader (Euclid, Barber Green & similar); Elevating Grader-type Loader (Dumor, Adams or similar); Generator Plant Engineers (diesel or electric); Gunnite Combination Mixer & Compressor; Locomotive Engineer; Mixermobile; Mucking Machine; Posthole Auger or Punch; Pump (grout or jet); Soil Stabilizer (P & H or similar); Spreader Machine; Tractor (to D-6 or equivalent) and Traxcavator; Traverse Finish Machine; Turnhead Operator

GROUP 4: Concrete Pumps (squeeze-crete, flow-crete, pump-

crete, Whitman & similar); Curb Extruder (asphalt or concrete); Drills (churn, core, calyx or diamond)(operate drilling machine, drive or transport drill rig to and on job site and weld well casing); Equipment Serviceman; Greaser & Oiler; Hoist (2 or more drums or Tower Hoist); Loaders (overhead & front-end, under 4 yds. R/T); Refrigeration Plant Engineer (under 1000 ton); Rubber-tired Skidders (R/T with or without attachments); Surface Heater & Plant Machine; Trenching Machines (under 7 ft. depth capacity); Turnhead (with re-screening); Vacuum Drill (reverse circulation drill under 8 inch bit)

GROUP 5: Backhoe (under 45,000 gw); Backhoe & Hoe Ram (under 3/4 yd.); Carrydeck & Boom Truck (under 25 tons); Cranes (25 tons & under), all attachments including clamshell, dragline; Derricks & Stifflegs (under 65 tons); Drilling Equipment(8 inch bit & over) (Robbins, reverse circulation & similar)(operates drilling machine, drive or transport drill rig to and on job site and weld well casing); Hoe Ram; Piledriving Engineers; Paving (dual drum); Railroad Track Liner Operaotr (self-propelled); Refrigeration Plant Engineer (1000 tons & over); Signalman (Whirleys, Highline Hammerheads or similar)

GROUP 6: Asphalt Plant Operator; Automatic Subgrader (Ditches & Trimmers) (Autograde, ABC, R.A. Hansen & similar on grade wire); Backhoe (45,000 gw and over to 110,000 gw); Backhoes & Hoe Ram (3/4 yd. to 3 yd.); Batch Plant (over 4 units); Batch & Wet Mix Operator (multiple units, 2 & incl. 4); Blade Operator (motor patrol & attachments, Athey & Huber); Boom Cats (side); Cable Controller (dispatcher); Clamshell Operator (under 3 yds.); Compactor (self-propelled with blade); Concrete Pump Boom Truck; Concrete Slip Form Paver; Cranes (over 25 tons, to and including 45 tons), all attachments including clamshell, dragline; Crusher, Grizzle & Screening Plant Operator; Dozer, 834 R/T & similar; Draglines (under 3 yds.); Drill Doctor; H.D. Mechanic; H.D. Welder; Loader Operator (front-end & overhead, 4 yds. incl. 8 yds.); Multiple Dozer Units with single blade; Paving Machine (asphalt and concrete); Quad-Track or similar equipment; Rollerman (finishing asphalt pavement); Roto Mill (pavement grinder); Scrapers, all, rubber-tired; Screed Operator; Shovel(under 3 yds.); Tractors (D-6 & equilvalent & over); Trenching Machines (7 ft. depth & over); Tug Boat Operator Vactor guzzler, super sucker

GROUP 7: Backhoe (over 110,000 gw); Backhoes & Hoe Ram (3 yds & over); Blade (finish & bluetop) Automatic, CMI, ABC, Finish Athey & Huber & similar when used as automatic; Cableway Operators; Concrete Cleaning/Decontamination machine operator; Cranes (over 45 tons to but not including 85 tons), all attachments including clamshell and dragine; Derricks & Stiffleys (65 tons & over); Elevating Belt (Holland type); Heavy equipment robotics operator; Loader (360 degrees revolving Koehring Scooper or similar); Loaders (overhead & front-end, over 8 yds. to 10 yds.);

Rubber-tired Scrapers (multiple engine with three or more scrapers); Shovels (3 yds. & over); Whirleys & Hammerheads, ALL

GROUP 8: Cranes (85 tons and over, and all climbing, overhead, rail and tower), all attachments including clamshell, dragline; Loaders (overhead and front-end, 10 yards and over); Helicopter Pilot

BOOM PAY: (All Cranes, Including Tower)
180 ft to 250 ft \$.30 over scale
Over 250 ft \$.60 over scale

NOTE:

In computing the length of the boom on Tower Cranes, they shall be measured from the base of the Tower to the point of the boom.

HAZMAT:

Anyone working on HAZMAT jobs, working with supplied air shall receive \$1.00 an hour above classification.

ENGI0370-006 06/01/2005

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

WORK PERFORMED ON HYDRAULIC DREDGES

	Rates	Fringes
Hydraulic Dredge		
GROUP 1:\$	32.41	7.87
GROUP 2:\$	32.53	7.87
GROUP 3:\$	32.90	7.87
GROUP 4:\$	32.95	7.87
GROUP 5:\$	34.47	7.87
GROUP 6:\$	32.41	7.87

GROUP 1: Assistant Mate (Deckhand)

GROUP 2: Assistant Engineer (Electric, Diesel, Steam, or Booster Pump); Mates and Boatmen

GROUP 3: Engineer Welder

GROUP 4: Leverman, Hydraulic

GROUP 5: Maintenance

GROUP 6: Oiler

HEAVY WAGE RATES APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

ENGI0612-001 06/01/2005

LEWIS, PIERCE, PACIFIC (THAT PORTION WHICH LIES NORTH OF A PARALLEL LINE EXTENDED WEST FROM THE NORTHERN BOUNDARY OF WAHKAIKUM COUNTY TO THE SEA IN THE STATE OF WASHINGTON) AND THURSTON COUNTIES

PROJECTS:

CATEGORY A PROJECTS (excludes Category B projects, as shown below) $\$

	Rates	Fringes
Power equipment operators: WORK PERFORMED ON HYDRAULIC DREDGES:Total Project cost \$300,000 and over		
GROUP 1\$	29.23	11.05
GROUP 2\$		11.05
GROUP 3\$		11.05
GROUP 4\$		11.05
GROUP 5\$	31.29	11.05
GROUP 6\$	29.23	11.05
WORK PERFORMED ON		
HYDRAULIC DREDGES: Total		
Project Cost under \$300,000		
GROUP 1\$	26.96	8.40
GROUP 2\$	27.06	8.40
GROUP 3\$	27.38	8.40
GROUP 4\$	27.43	8.40
GROUP 5\$	28.75	8.40
GROUP 6\$	26.96	8.40

ZONE 2 (26-45 radius miles) - Add \$.70 to Zone 1 rates
ZONE 3 (Over 45 radius miles) - Add \$1.00 to Zone 1 rates

BASEPOINTS: Tacoma, Olympia, and Centralia

CATEGORY B PROJECTS - 95% of the basic hourly rate for each group plus full fringe benefits applicable to Category A projects shall apply to the following projects: Reduced rates may be paid on the following:

- 1. Projects involving work on structures such as buildings and structures whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
- 3. Marine projects (docts, wharfs, etc.) less than \$150,000

WORK PERFORMED ON HYDRAULIC DREDGES:

GROUP 1: Assistant Mate (Deckhand

GROUP 2: Oiler

GROUP 3: Assistant Engineer (Electric, Diesel, Steam or

Booster Pump); Mates and Boatmen GROUP 4: Craneman, Engineer Welder

GROUP 5: Leverman, Hydraulic GROUP 6: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHEEL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS

HANDLING OF HAZARDOUS WASTE MATERIALS

H-1 - When not outfitted with protective clothing of level D equipment - Base wage rate

H-2 - Class "C" Suit - Base wage rate + \$.25 per hour

H-3 - Class "B" Suit - Base wage rate + \$.50 per hour

H-4 - Class "A" Suit - Base wage rate +\$.75 per hour

ENGI0612-002 06/01/2005

LEWIS, PIERCE, PACIFIC (portion lying north of a parallel line extending west from the northern boundary of Wahkaikum County to the sea) AND THURSTON COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH GROUP SHALL BE 90% OF THE BASE RATE PLUS FULL FRINGE BENEFITS. ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
GROUP 1A\$	31.08	11.05
GROUP 1AA\$	31.63	11.05
GROUP 1AAA\$	32.17	11.05
GROUP 1\$	30.54	11.05
GROUP 2\$	30.07	11.05
GROUP 3\$	29.66	11.05
GROUP 4\$	27.37	11.05

Zone Differential (Add to Zone 1 rates):

Zone 2 (26-45 radius miles) = \$.70

Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: CENTRALIA, OLYMPIA, TACOMA

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 AAA - Cranes-over 300 tons or 300 ft of boom (including jib with attachments)

GROUP 1AA - Cranes- 200 tonsto 300 tons, or 250 ft of boom (including jib with attachments; Tower crane over 175 ft in height, bas to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom (including jib with attachments); Crane-overhead, bridge

type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes 45 tons thru 99 tons under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader- overhead, 6 yards to, but not including, 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9 HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self-propelled 45 yards and over; Slipform pavers; Transporters, all track or truck type

GROUP 2 - Barrier machine (zipper); Batch Plant Operatorconcrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-Overhead, bridge type, 20 tons through 44 tons; Chipper; Concrete pump-truck mount with boom attachment; Crusher; Deck engineer/deck winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Loaders, overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics- all; Mixers, asphalt plant; Motor patrol graders, finishing; Piledriver (other than crane mount); Roto-mill, rotogrinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self- propelled, hard tail end dump, articulating off-road equipment- under 45 yards; Subgrader trimmer; Tractors, backhoe over 75 hp; Transfer material service machine-shuttle buggy, Blaw Knox- Roadtec; Truck Crane oiler/driver-100 tons and over; Truck Mount Portable Conveyor; Yo Yo pay

GROUP 3 - Conveyors; Cranes through 19 tons with attachments; Crane-A-frame over 10 tons; Drill oilers-auger type, truck or crane mount; Dozer-D-9 and under; Forklift-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside Hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loaders-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pump-Concrete; Roller, plant mix or multi-lfit materials; Saws-concrete; Scrapers, concrete and carry all; Service engineers-equipment; Trenching machines; Truck crane oiler/driver under 100 tons; Tractors, backhoe under 75 hp

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete Finish Machine-laser screed; Cranes A-frame 10 tons and under; Elevator and manlift (permanent and shaft type); Forklifts-under 3000 lbs. with attachments; Gradechecker, stakehop; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole

digger-mechanical; Power plant; Pumps-water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

FOOTNOTE A- Reduced rates may be paid on the following:

1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.

- 2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
- 3. Marine projects (docks, wharfs, etc.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designated hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

 $\mbox{H--4}$ Class "A" Suit - Base wage rate plus $\mbox{\$}$.75 per hour.

ENGI0701-002 01/01/2005

CLARK, COWLITZ, KLICKKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes
Power equipment operators:		
(See Footnote A)		
GROUP 1\$	30.44	9.95
GROUP 1A\$	31.96	9.95
GROUP 1B\$	33.48	9.95
GROUP 2\$	29.14	9.95
GROUP 3\$	28.34	9.95
GROUP 4\$	27.78	9.95
GROUP 5\$	27.15	9.95
GROUP 6\$	24.66	9.95

Zone Differential (add to Zone 1 rates):

Zone 2 - \$1.50

Zone 3 - 3.00

For the following metropolitan counties: MULTNOMAH; CLACKAMAS; MARION; WASHINGTON; YAMHILL; AND COLUMBIA; CLARK; AND COWLITZ COUNTY, WASHINGTON WITH MODIFICATIONS AS INDICATED:

All jobs or projects located in Multnomah, Clackamas and Marion Counties, West of the western boundary of Mt. Hood National Forest and West of Mile Post 30 on Interstate 84 and West of Mile Post 30 on State Highway 26 and West of Mile Post 30 on Highway 22 and all jobs or projects located in Yamhill County, Washington County and Columbia County and all jobs or porjects located in Clark & Cowlitz County, Washington except that portion of Cowlitz County in the Mt. St. Helens "Blast Zone" shall receive Zone I pay for all classifications.

All jobs or projects located in the area outside the identified boundary above, but less than 50 miles from the Portland City Hall shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the Portland City Hall, but outside the identified border above, shall receive Zone III pay for all classifications.

For the following cities: ALBANY; BEND; COOS BAY; EUGENE; GRANTS PASS; KLAMATH FALLS; MEDFORD; ROSEBURG

All jobs or projects located within 30 miles of the respective city hall of the above mentioned cities shall receive Zone I pay for all classifications.

All jobs or projects located more than 30 miles and less than 50 miles from the respective city hall of the above mentioned cities shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the respective city hall of the above mentioned cities shall receive Zone III pay for all classifications.

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: CONCRETE: Batch Plant and/or Wet Mix Operator, three units or more; CRANE: Helicopter Operator, when used in

erecting work; Whirley Operator, 90 ton and over; LATTICE BOOM CRANE: Operator 200 tons through 299 tons, and/or over 200 feet boom; HYDRAULIC CRANE: Hydraulic Crane Operator 90 tons through 199 tons with luffing or tower attachments; FLOATING EQUIPMENT: Floating Crane, 150 ton but less than 250 ton

GROUP 1A: HYDRAULIC CRANE: Hydraulic Operator, 200 tons and over (with luffing or tower attachment); LATTICE BOOM CRANE: Operator, 200 tons through 299 tons, with over 200 feet boom; FLOATING EQUIPMENT: Floating Crane 250 ton and over

GROUP 1B: LATTICE BOOM CRANE: Operator, 300 tons through 399

tons with over 200 feet boom; Operator 400 tons and over; FLOATING EQUIPMENT: Floating Crane 350 ton and over

GROUP 2: ASPHALT: Asphalt Plant Operator (any type); Roto Mill, pavement profiler, operator, 6 foot lateral cut and over; BLADE: Auto Grader or "Trimmer" (Grade Checker required); Blade Operator, Robotic; BULLDOZERS: Bulldozer operator over 120,000 lbs and above; Bulldozer operator, twin engine; Bulldozer Operator, tandem, quadnine, D10, D11, and similar type; Bulldozere Robotic Equipment (any type; CONCRETE: Batch Plant and/or Wet Mix Operator, one and two drum; Automatic Concrete Slip Form Paver Operator; Concrete Canal Line Operator; Concrete Profiler, Diamond Head; CRANE: Cableway Operator, 25 tons and over; HYDRAULIC CRANE: Hydraulic crane operator 90 tons through 199 tons (with luffing or tower attachment); TOWER/WHIRLEY OPERATOR: Tower Crane Operator; Whirley Operator, under 90 tons; LATTICE BOOM CRANE: 90 through 199 tons and/or 150 to 200 feet boom; CRUSHER: Crusher Plant Operator; FLOATING EQUIPMENT: Floating Clamshell, etc.operator, 3 cu. yds. and over; Floating Crane (derrick barge) Operator, 30 tons but less than 150 tons; LOADERS: Loader operator, 120,000 lbs. and above; REMOTE CONTROL: Remote controlled earth-moving equipment; RUBBER-TIRED SCRAPERS: Rubbertired scraper operator, with tandem scrapers, multi-engine; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Shovel, Dragline, Clamshell, operator 5 cu. yds and over; TRENCHING MACHINE: Wheel Excavator, under 750 cu. yds. per hour (Grade Oiler required); Canal Trimmer (Grade Oiler required); Wheel Excavator, over 750 cu. yds. per hour; Band Wagon (in conjunction with wheel excavator); UNDERWATER EQUIPMENT: Underwater Equipment Operator, remote or otherwise; HYDRAULIC HOES-EXCAVATOR: Excavator over 130,000 lbs.

GROUP 3: BULLDOZERS: Bulldozer operator, over 70,000 lbs. up to and including 120,000 lbs.; HYDRAULIC CRANE: Hydraulic crane operator, 50 tons through 89 tons (with luffing or tower attachment); LATTICE BOOM CRANES: Lattice Boom Crane-50 through 89 tons (and less than 150 feet boom); FORKLIFT: Rock Hound Operator; HYDRAULIC HOES-EXCAVATOR: excavator over 80,000 lbs. through 130,000 lbs.; LOADERS: Loader operator 60,000 and less than 120,000; RUBBER-TIRED SCRAPERS: Scraper Operator, with tandem scrapers; Self-loading, paddle wheel, auger type, finish and/or 2 or more units; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Shovel, Dragline, Clamshell operators 3 cu. yds. but less than 5 cu yds.

GROUP 4: ASPHALT: Screed Operator; Asphalt Paver operator (screeman required); BLADE: Blade operator; Blade operator, finish; Blade operator, externally controlled by electronic, mechanical hydraulic means; Blade operator, multi-engine; BULLDOZERS: Bulldozer Operator over 20,000 lbs and more than 100 horse up to 70,000 lbs; Drill Cat Operator; Side-boom Operator; Cable-Plow Operator (any

type); CLEARING: Log Skidders; Chippers; Incinerator; Stump Splitter (loader mounted or similar type); Stump Grinder (loader mounted or similar type; Tub Grinder; Land Clearing Machine (Track mounted forestry mowing & grinding machine); Hydro Axe (loader mounted or similar type); COMPACTORS SELF-PROPELLED: Compactor Operator, with blade; Compactor Operator, multi-engine; Compactor Operator, robotic; CONCRETE: Mixer Mobile Operator; Screed Operator; Concrete Cooling Machine Operator; Concrete Paving Road Mixer; Concrete Breaker; Reinforced Tank Banding Machine (K-17 or similar types); Laser Screed; CRANE: Chicago boom and similar types; Lift Slab Machine Operator; Boom type lifting device, 5 ton capacity or less; Hoist Operator, two (2) drum; Hoist Operator, three (3) or more drums; Derrick Operator, under 100 ton; Hoist Operator, stiff leg, guy derrick or similar type, 50 ton and over; Cableway Operator up to twenty (25) ton; Bridge Crane Operator, Locomotive, Gantry, Overhead; Cherry Picker or similar type crane; Carry Deck Operator; Hydraulic Crane Operator, under 50 tons; LATTICE BOOM CRANE OPERATOR: Lattice Boom Crane Operator, under 50 tons; CRUSHER: Generator Operator; Diesel-Electric Engineer; Grizzley Operator; Drill Doctor; Boring Machine Operator; Driller-Percussion, Diamond, Core, Cable, Rotary and similar type; Cat Drill (John Henry); Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Diesel-electric Engineer; Jack Operator, elevating barges, Barge Operator, selfunloading; Piledriver Operator (not crane type) (Deckhand

required); Floating Clamshelll, etc. Operator, under 3 cu. yds. (Fireman or Diesel-Electric Engineer required); Floating Crane (derrick barge) Operator, less than 30 tons; GENERATORS: Generator Operator; Diesel-electric Engineer; GUARDRAIL EQUIPMENT: Guardrail Punch Operator (all types); Guardrail Auger Operator (all types); Combination Guardrail machines, i.e., punch auger, etc.; HEATING PLANT: Surface Heater and Planer Operator; HYDRAULIC HOES EXCAVATOR: Robotic Hydraulic backhoe operator, track and wheel type up to and including 20,0000 lbs. with any or all attachments; Excavator Operator over 20,000 lbs through 80,000 lbs.; LOADERS: Belt Loaders, Kolman and Ko Cal types; Loaders Operator, front end and overhead, 25,000 lbs and less than 60,000 lbs; Elevating Grader Operator by Tractor operator, Sierra, Euclid or similar types; PILEDRIVERS: Hammer Operator; Piledriver Operator (not crane type); PIPELINE, SEWER WATER: Pipe Cleaning Machine Operator; Pipe Doping Machine Operator; Pipe Bending Machine Operator; Pipe Wrapping Machine Operator; Boring Machine Operator; Back Filling Machine Operator; REMOTE CONTROL: Concrete Cleaning Decontamination Machine Operator; Ultra High Pressure Water Jet Cutting Tool System Operator/Mechanic; Vacuum Blasting Machine Operator/mechanic; REPAIRMEN, HEAVY DUTY: Diesel Electric Engineer (Plant or Floating; Bolt Threading Machine operator; Drill Doctor (Bit Grinder); H.D. Mechanic; Machine Tool Operator; RUBBER-TIRED SCRAPERS: Rubber-tired Scraper Operator, single engine, single

scraper; Self-loading, paddle wheel, auger type under 15 cu. yds.; Rubber-tired Scraper Operator, twin engine; Rubber-tired Scraper Operator, with push-ull attachments; Self Loading, paddle wheel, auger type 15 cu. yds. and over, single engine; Water pulls, water wagons; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Diesel Electric Engineer; Stationay Drag Scraper Operator; Shovel, Dragline, Clamshell, Operator under 3 cy yds.; Grade-all Operator; SURFACE (BASE) MATERIAL: Blade mounted spreaders, Ulrich and similar types; TRACTOR-RUBBERED TIRED: Tractor operator, rubber-tired, over 50 hp flywheel; Tractor operator, with boom attachment; Rubber-tired dozers and pushers (Michigan, Cat, Hough type); Skip Loader, Drag Box; TRENCHING MACHINE: Trenching Machine operator, digging capacity over 3 ft depth; Back filling machine operator; TUNNEL: Mucking machine operator

GROUP 5: ASPHALT: Extrusion Machine Operator; Roller Operator (any asphalt mix); Asphalt Burner and Reconditioner Operator (any type); Roto-Mill, pavement profiler, ground man; BULLDOZERS: Bulldozer operator, 20,000 lbs. or less or 100 horse or less; COMPRESSORS: Compressor Operator (any power), over 1,250 cu. ft. total capacity; COMPACTORS: Compactor Operator, including vibratory; Wagner Pactor Operator or similar type (without blade); CONCRETE: Combination mixer and Compressor Operator, gunite work; Concrete Batch Plant Quality Control Operator; Beltcrete Operator; Pumpcrete Operator (any type); Pavement Grinder and/or Grooving Machine Operator (riding type); Cement Pump Operator, Fuller-Kenyon and similar; Concrete Pump Operator; Grouting Machine Operator; Concrete mixer operator, single drum, under (5) bag capacity; Cast in place pipe laying machine; maginnis Internal Full slab vibrator operator; Concrete finishing mahine operator, Clary, Johnson, Bidwell, Burgess Bridge deck or similar type; Curb Machine Operator, mechanical Berm, Curb and/or Curb and Gutter; Concrete Joint Machine Operator; Concrete Planer Operator; Tower Mobile Operator; Power Jumbo Operator setting slip forms in tunnels; Slip Form Pumps, power driven hydraulic lifting device for concrete forms; Concrete Paving Machine Operator; Concrete Finishing Machine Operator; Concrete Spreader Operator; CRANE: Helicopter Hoist Operator; Hoist Operator, single drum; Elevator Operator; A-frame Truck Operator, Double drum; Boom Truck Operator; HYDRAULIC CRANE OPERATOR: Hydraulic Boom Truck, Pittman; DRILLING: Churm Drill and Earth Boring Machine Operator; Vacuum Truck; Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Fireman; FORKLIFT: Fork Lift, over 10 ton and/or robotic; HYDRAULIC HOES EXCAVATORS: Hydraulic Backhoe Operator, wheel type (Ford, John Deere, Case type); Hydraulic Backhoe Operator track type up to and including 20,000 lbs.; LOADERS: Loaders, rubber- tired type, less than 25,000 lbs; Elevating Grader Operator, Tractor Towed requiring Operator or Grader; Elevating loader operator, Athey and similar types; OILERS: Service oiler (Greaser);

PIPELINE-SEWER WATER: Hydra hammer or simialr types;
Pavement Breaker Operator; PUMPS: Pump Operator, more than
5 (any size); Pot Rammer Operator; RAILROAD EQUIPMENT:
Locomotive Operator, under 40 tons; Ballast Regulator
Operator; Ballast Tamper Multi-Purpose Operator; Track
Liner Operator; Tie Spacer Operator; Shuttle Car Operator;
Locomotive Operator, 40 tons and over; MATERIAL HAULRS: Cat
wagon DJBs Volvo similar types; Conveyored material hauler;
SURFACING (BASE) MATERIAL: Rock Spreaders, self-propelled;

Pulva-mixer or similar types; Chiip Spreading machine operator; Lime spreading operator, construction job siter; SWEEPERS: Sweeper operator (Wayne type) self-propelled construction job site; TRACTOR-RUBBER TIRED: Tractor operator, rubber-tired, 50 hp flywheel and under; Trenching machine operator, maximum digging capacity 3 ft depth; TUNNEL: Dinkey

GROUP 6: ASPHALT: Plant Oiler; Plant Fireman; Pugmill Operator (any type); Truck mounted asphalt spreader, with screed; COMPRESSORS: Compressor Operator (any power), under 1,250 cu. ft. total capacity; CONCRETE: Plant Oiler, Assistant Conveyor Operator; Conveyor Operator; Mixer Box Operator (C.T.B., dry batch, etc.); Cement Hog Operator; Concrete Saw Operator; Concrete Curing Machine Operator (riding type); Wire Mat or Brooming Machine Operator; CRANE: Oiler; Fireman, all equipment; Truck Crane Oiler Driver; A-frame Truck Operator, single drum; Tugger or Coffin Type Hoist Operator; CRUSHER: Crusher Oiler; Crusher Feederman; CRUSHER: Crusher oiler; Crusher feederman; DRILLING: Drill Tender; Auger Oiler; FLOATING EQUIPMENT: Deckhand; Boatman; FORKLIFT: Self-propelled Scaffolding Operator, construction job site (exclduing working platform); Fork Lift or Lumber Stacker Operator, construction job site; Ross Carrier Operator, construction job site; Lull Hi-Lift Operator or Similar Type; GUARDRAIL EQUIPMENT: Oiler; Auger Oiler; Oiler, combination guardrail machines; Guardrail Punch Oiler; HEATING PLANT: Temporary Heating Plant Operator; LOADERS: Bobcat, skid steer (less than 1 cu yd.); Bucket Elevator Loader Operator, BarberGreene and similar types; OILERS: Oiler; Guardrail Punch Oiler; Truck Crane Oiler-Driver; Auger Oiler; Grade Oiler, required to check grade; Grade Checker; Rigger; PIPELINE-SEWER WATER: Tar Pot Fireman; Tar Pot Fireman (power agitated); PUMPS: Pump Operator (any power); Hydrostatic Pump Operator; RAILROAD EQUIPMENT: Brakeman; Oiler; Switchman; Motorman; Ballast Jack Tamper Operator; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER, ETC. OPERATOR: Oiler, Grade Oiler (required to check grade); Grade Checker; Fireman; SWEEPER: Broom operator, self propelled, construction job site; SURFACING (BASE) MATERIAL: Roller Operator, grading of base rock (not asphalt); Tamping Machine operartor, mechanical, self-propelled; Hydrographic Seeder Machine Operator; TRENCHING MACHINE: Oiler; Grade Oiler; TUNNEL: Conveyor operator; Air filtration equipment operator

ENGI0701-003 06/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

DREDGING:

	Rates	Fringes
Dredging:		
ZONE A		
ASSISTANT ENGINEER\$	32.02	9.75
ASSISTANT MATE\$	28.12	9.75
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$	34.34	9.75
LEVERMAN, HYDRAULIC\$	34.34	9.75
TENDERMAN\$	30.96	9.75
ZONE B		
ASSISTANT ENGINEER\$	34.02	9.75
ASSISTANT MATE\$	30.12	9.75
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$	36.34	9.75
LEVERMAN, HYDRAULIC\$	36.34	9.75
TENDERMAN\$	32.96	9.75
ZONE C		
ASSISTANT ENGINEER\$	35.02	9.75
ASSISTANT MATE\$	31.12	9.75
LEVERMAN, DIPPER,		
FLOATING CLAMSHELL\$		9.75
LEVERMAN, HYDRAULIC\$	37.34	9.75
TENDERMAN\$	33.96	9.75

ZONE DESCRIPTION FOR DREDGING:

ZONE A - All jobs or projects located within 30 road miles of Portland City Hall.

ZONE B - Over 30-50 road miles from Portland City Hall.

ZONE C - Over 50 road miles from Portland City Hall.

*All jobs or projects shall be computed from the city hall by the shortest route to the geographical center of the project.

IRON0014-005 07/01/2005

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND ORIELLE, SPOKANE, STEVENS, WALLA WALLA AND WHITMAN COUNTIES

	Rates	Fringes
Ironworker\$	27.42	13.89

IRON0029-002 07/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKAIKUM COUNTIES

COUNTIES		
	Rates	Fringes
Ironworker\$	29.12	13.89
IRON0086-002 07/01/2005		
YAKIMA, KITTITAS AND CHELAN COUNTIL	ES	
	Rates	Fringes
Ironworker\$		13.89
IRON0086-004 07/01/2005		
CLALLAM, GRAYS HARBOR, ISLAND, JEFF MASON, PIERCE, SKAGIT, SNOHOMISH,		
	Rates	Fringes
Ironworker\$		13.89
LABO0001-002 06/01/2005		
ZONE 1:		
	Rates	Fringes
Laborers: CALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON,		

CALLAM, GRAYS HARBOR,		
ISLAND, JEFFERSON, KING,		
KITSAP, LEWIS, MASON,		
PACIFIC (NORTH OF STRAIGHT		
LINE MADE BY EXTENDING THE		
NORTH BOUNDARY WAHKIAKUM		
COUNTY WEST TO THE PACIFIC		
OCEAN), PIERCE, SAN JUAN,		
SKAGIT, SNOHOMISH,		
THURSTON AND WHATCOM COUNTIES		
GROUP 1\$	18.56	7.95
GROUP 2\$	20.88	7.95
GROUP 3\$	25.56	7.95
GROUP 4\$		7.95
GROUP 5\$	26.40	7.95
CHELAN, DOUGLAS (WEST OF		
THE 120TH MERIDIAN),		
KITTITAS AND YAKIMA COUNTIES		
GROUP 1\$		7.95
GROUP 2\$		7.95
GROUP 3\$	19.18	7.95
GROUP 4\$		7.95
GROUP 5\$	20.02	7.95

ZONE DIFFERENTIAL (ADD TO ZONE 1 RATES):

GROUP 5.....\$ 20.02

ZONE 2 - \$.70 ZONE 3 - \$1.00

BASE POINTS: CHELAN, SUNNYSIDE, WENATCHEE, AND YAKIMA

ZONE 1 - Projects within 25 radius miles of the respective city hall

ZONE 2 - More than 25 but less than 45 radius miles from the respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

BASE POINTS: BELLINGHAM, MT. VERNON, EVERETT, SEATTLE, KENT, TACOMA, OLYMPIA, CENTRALIA, ABERDEEN, SHELTON, PT. TOWNSEND, PT. ANGELES, AND BREMERTON

ZONE 1 - Projects within 25 radius miles of the respective city hall

 ${\tt ZONE}$ 2 - More than 25 but less than 45 radius miles from the respective city hall

ZONE 3 - More than 45 radius miles from the respective city

hall

LABORERS CLASSIFICATIONS

GROUP 1: Landscaping and Planting; Watchman; Window Washer/Cleaner (detail clean-up, such as but not limited to cleaning floors, ceilings, walls, windows, etc., prior to final acceptance by the owner)

GROUP 2: Batch Weighman; Crusher Feeder; Fence Laborer; Flagman; Pilot Car

GROUP 3: General Laborer; Air, Gas, or Electric Vibrating Screed; Asbestos Abatement Laborer; Ballast Regulator Machine; Brush Cutter; Brush Hog Feeder; Burner; Carpenter Tender; Cement Finisher Tender; Change House or Dry Shack; Chipping Gun (under 30 lbs.); Choker Setter; Chuck Tender; Clean-up Laborer; Concrete Form Stripper; Curing Laborer; Demolition (wrecking and moving including charred material); Ditch Digger; Dump Person; Fine Graders; Firewatch; Form Setter; Gabian Basket Builders; Grout Machine Tender; Grinders; Guardrail Erector; Hazardous Waste Worker (Level C); Maintenance Person; Material Yard Person; Pot Tender; Rip Rap Person; Riggers; Scale Person; Sloper Sprayer; Signal Person; Stock Piler; Stake Hopper; Toolroom Man (at job site); Topper-Tailer; Track Laborer; Truck Spotter; Vinyl Seamer

GROUP 4: Cement Dumper-Paving; Chipping Gun (over 30 lbs.); Clary Power Spreader; Concrete Dumper/Chute Operator; Concrete Saw Operator; Drill Operator (hydraulic, diamond, aiartrac); Faller and Bucker Chain Saw; Grade Checker and Transit Person; Groutmen (pressure) including post tension beams; Hazardous Waste Worker (Level B); High Scaler;

Jackhammer; Laserbeam Operator; Manhole Builder-Mudman; Mortarman and Hodcarrier; Nozzleman (concrete pump, green cutter when using combination of high pressure air and water on concrete and rock, sandblast, gunite, shotcrete, water blaster, vacuum blaster); Pavement Breaker; Pipe Layer and Caulker; Pipe Pot Tender; Pipe Reliner (not insert type); Pipe Wrapper; Power Jacks; Railroad Spike Puller-Power; Raker-Asphalt; Rivet Buster; Rodder; Sloper (over 20 ft); Spreader (concrete); Tamper and Similar electric, air and glas operated tool; Timber Person-sewer (lagger shorer and cribber); Track Liner Power; Tugger Operator; Vibrator; Well Point Laborer

GROUP 5: Caisson Worker; Miner; Powderman; Re-Timberman; Hazardous Waste Worker (Level A).

LABO0238-004 06/01/2005

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA AND WHITMAN COUNTIES

		Rates	Fringes
Laborers:			
ZONE 1:			
GROUP	1\$	17.71	6.95
GROUP	2\$	19.81	6.95
GROUP	3\$	20.08	6.95
GROUP	4\$	20.35	6.95
GROUP	5\$	20.63	6.95
GROUP	6\$	22.00	6.95

Zone Differential (Add to Zone 1 rate): \$2.00

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.
Zone 2: 45 radius miles and over from the main post office.

LABORERS CLASSIFICATIONS

GROUP 1: Flagman; Landscape Laborer; Scaleman; Traffic Control Maintenance Laborer (to include erection and maintenance of barricades, signs and relief of flagperson); Window Washer/Cleaner (detail cleanup, such as, but not limited to cleaning floors, ceilings, walls, windows, etc. prior to final acceptance by the owner)

GROUP 2: Asbestos Abatement Worker; Brush Hog Feeder; Carpenter Tender; Cement Handler; Clean-up Laborer; Concrete Crewman (to include stripping of forms, hand operating jacks on slip form construction, application of concrete curing compounds, pumpcrete machine, signaling, handling the nozzle of squeezcrete or similar machine, 6

inches and smaller); Confined Space Attendant; Concrete Signalman; Crusher Feeder; Demolition (to include clean-up, burning, loading, wrecking and salvage of all material); Dumpman; Fence Erector; Firewatch; Form Cleaning Machine Feeder, Stacker; General Laborer; Grout Machine Header Tender; Guard Rail (to include guard rails, guide and reference posts, sign posts, and right-of-way markers); Hazardous Waste Worker, Level D (no respirator is used and skin protection is minimal); Miner, Class "A" (to include all bull gang, concrete crewman, dumpman and pumpcrete crewman, including distributing pipe, assembly & dismantle, and nipper); Nipper; Riprap Man; Sandblast Tailhoseman; Scaffold Erector (wood or steel); Stake Jumper; Structural Mover (to include separating foundation, preparation, cribbing, shoring, jacking and unloading of structures); Tailhoseman (water nozzle); Timber Bucker and Faller (by hand); Track Laborer (RR); Truck Loader; Well-Point Man; All Other Work Classifications Not Specially Listed Shall Be Classified As General Laborer

GROUP 3: Aspahlt Raker; Asphalt Roller, walking; Cement Finisher Tender; Concrete Saw, walking; Demolition Torch; Dope Pot Firemen, non-mechanical; Driller Tender (when required to move and position machine); Form Setter, Paving; Grade Checker using level; Hazardous Waste Worker, Level C (uses a chemical "splash suit" and air purifying respirator); Jackhammer Operator; Miner, Class "B" (to include brakeman, finisher, vibrator, form setter); Nozzleman (to include squeeze and flo-crete nozzle); Nozzleman, water, air or steam; Pavement Breaker (under 90 lbs.); Pipelayer, corrugated metal culvert; Pipelayer, multi- plate; Pot Tender; Power Buggy Operator; Power Tool Operator, gas, electric, pneumatic; Railroad Equipment, power driven, except dual mobile power spiker or puller; Railroad Power Spiker or Puller, dual mobile; Rodder and Spreader; Tamper (to include operation of Barco, Essex and similar tampers); Trencher, Shawnee; Tugger Operator; Wagon Drills; Water Pipe Liner; Wheelbarrow (power driven)

GROUP 4: Air and Hydraulic Track Drill; Brush Machine (to include horizontal construction joint cleanup brush machine, power propelled); Caisson Worker, free air; Chain Saw Operator and Faller; Concrete Stack (to include laborers when laborers working on free standing concrete stacks for smoke or fume control above 40 feet high); Gunite (to include operation of machine and nozzle); Hazardous Waste Worker, Level B (uses same respirator protection as Level A. A supplied air line is provided in conjunction with a chemical "splash suit"); High Scaler; Laser Beam Operator (to include grade checker and elevation control); Miner, Class C (to include miner, nozzleman for concrete, laser beam operator and rigger on tunnels); Monitor Operator (air track or similar mounting); Mortar Mixer; Nozzleman (to include jet blasting nozzleman, over 1,200 lbs., jet blast machine power propelled, sandblast nozzle); Pavement Breaker (90 lbs. and over); Pipelayer (to

include working topman, caulker, collarman, jointer,
mortarman, rigger, jacker, shorer, valve or meter
installer); Pipewrapper; Plasterer Tender; Vibrators (all)

GROUP 5 - Drills with Dual Masts; Hazardous Waste Worker, Level A (utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line); Miner Class "D", (to include raise and shaft miner, laser beam operator on riases and shafts)

GROUP 6 - Powderman

LABO0238-006 06/01/2005

COUNTIES EAST OF THE 120TH MERIDIAN: ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA, WHITMAN

	Rates	Fringes
Hod Carrier\$	21.90	6.95

LABO0335-001 06/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHKIAKUM COUNTIES

	Rates	Fringes
Laborers:		
ZONE 1:		
GROUP 1\$	24.22	7.95
GROUP 2\$	24.78	7.95
GROUP 3\$	25.20	7.95
GROUP 4\$	25.56	7.95
GROUP 5\$	21.86	7.95
GROUP 6\$	19.58	7.95
GROUP 7\$	16.57	7.95

Zone Differential (Add to Zone 1 rates):

Zone 2 \$ 0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: GOLDENDALE, LONGVIEW, AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city all.
 ZONE 2: More than 30 miles but less than 40 miles from the
 respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Plant Laborers; Asphalt Spreaders; Batch Weighman; Broomers; Brush Burners and Cutters; Car and Truck Loaders; Carpenter Tender; Change-House Man or Dry Shack Man; Choker Setter; Clean-up Laborers; Curing, Concrete; Demolition, Wrecking and Moving Laborers; Dumpers, road oiling crew; Dumpmen (for grading crew); Elevator Feeders; Guard Rail, Median Rail Reference Post, Guide Post, Right of Way Marker; Fine Graders; Fire Watch; Form Strippers (not swinging stages); General Laborers; Hazardous Waste Worker; Leverman or Aggregate Spreader (Flaherty and similar types); Loading Spotters; Material Yard Man (including electrical); Pittsburgh Chipper Operator or Similar Types; Railroad Track Laborers; Ribbon Setters (including steel forms); Rip Rap Man (hand placed); Road Pump Tender; Sewer Labor; Signalman; Skipman; Slopers; Spraymen; Stake Chaser; Stockpiler; Tie Back Shoring; Timber Faller and Bucker (hand labor); Toolroom Man (at job site); Tunnel Bullgang (above ground); Weight-Man- Crusher (aggregate when used)

GROUP 2: Applicator (including pot power tender for same), applying protective material by hand or nozzle on utility lines or storage tanks on project; Brush Cutters (power saw); Burners; Choker Splicer; Clary Power Spreader and similar types; Clean- up Nozzleman-Green Cutter (concrete, rock, etc.); Concrete Power Buggyman; Concrete Laborer; Crusher Feeder; Demolition and Wrecking Charred Materials; Gunite Nozzleman Tender; Gunite or Sand Blasting Pot Tender; Handlers or Mixers of all Materials of an irritating nature (including cement and lime); Tool Operators (includes but not limited to: Dry Pack Machine; Jackhammer; Chipping Guns; Paving Breakers); Pipe Doping and Wrapping; Post Hole Digger, air, gas or electric; Vibrating Screed; Tampers; Sand Blasting (Wet); Stake-Setter; Tunnel-Muckers, Brakemen, Concrete Crew, Bullgang (underground)

GROUP 3: Asbestos Removal; Bit Grinder; Drill Doctor; Drill Operators, air tracks, cat drills, wagon drills, rubber-mounted drills, and other similar types including at crusher plants; Gunite Nozzleman; High Scalers, Strippers and Drillers (covers work in swinging stages, chairs or belts, under extreme conditions unusual to normal drilling, blasting, barring-down, or sloping and stripping); Manhole Builder; Powdermen; Concrete Saw Operator; Pwdermen; Power Saw Operators (Bucking and Falling); Pumpcrete Nozzlemen; Sand Blasting (Dry); Sewer Timberman; Track Liners, Anchor Machines, Ballast Regulators, Multiple Tampers, Power Jacks, Tugger Operator; Tunnel-Chuck Tenders, Nippers and Timbermen; Vibrator; Water Blaster

GROUP 4: Asphalt Raker; Concrete Saw Operator (walls); Concrete Nozzelman; Grade Checker; Pipelayer; Laser Beam (pipelaying)-applicable when employee assigned to move, set up, align; Laser Beam; Tunnel Miners; Motorman-Dinky Locomotive-Tunnel; Powderman-Tunnel; Shield Operator-Tunnel

GROUP 5: Traffic Flaggers

GROUP 6: Fence Builders

GROUP 7: Landscaping or Planting Laborers

LABO0335-010 06/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHKIAKUM COUNTIES

	Rates	Fringes
Hod Carrier\$	26.04	7.95
PAIN0005-002 06/01/2005		

STATEWIDE EXCEPT CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes	
Painters: STRIPERS	\$ 23.20	10.20	
			-

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES

	Rates	Fringes
Painter\$	19.00	6.60

PAIN0005-006 07/01/2005

PAIN0005-004 03/14/2005

ADAMS, ASOTIN; BENTON AND FRANKLIN (EXCEPT HANFORD SITE); CHELAN, COLUMBIA, DOUGLAS, FERRY, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA COUNTIES

Rates Fringes

Painters:

Application of Cold Tar Products, Epoxies, Polyure thanes, Acids, Radiation Resistant Material, Water

and Sandblasting, Bridges,	
Towers, Tanks, Stacks,	
Steeples\$ 19.84	6.53
Brush, Roller, Striping,	
Steam-cleaning and Spray\$ 18.84	6.53
Lead Abatement, Asbestos	
Abatement\$ 19.84	6.53
TV Radio, Electrical	
Transmission Towers\$ 20.59	6.53

*\$.70 shall be paid over and above the basic wage rates listed for work on swing stages and high work of over 30 feet.

PAIN0055-002 05/16/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes
Painters:		
Brush & Roller\$	18.03	6.63
High work - All work 60		
ft. or higher\$	18.78	6.63
Spray and Sandblasting\$	18.63	6.63

PAIN0055-007 06/01/2005

CLARK, COWLITZ, KLICKITAT, SKAMANIA and WAHKIAKUM COUNTIES

	Rates	Fringes
Painters:		
HIGHWAY & PARKING LOT		
STRIPER\$	25.49	8.05
PLAS0072-004 06/01/2005		

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN, AND YAKIMA COUNTIES

	Rates	Fringes
Cement Mason ZONE 1:\$	22.73	7.43

Zone Differential (Add to Zone 1 rate): Zone 2 - \$2.00

BASE POINTS: Spokane, Pasco, Moses Lake, Lewiston

Zone 1: 0 - 45 radius miles from the main post office Zone 2: Over 45 radius miles from the main post office PLAS0528-001 06/01/2005

CLALLAM, COWLITZ, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC, PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON, WAHKIAKUM AND WHATCOM COUNTIES

	Rates	Fringes
Cement Masons: CEMENT MASON\$	29.59	11.52
COMPOSITION, COLOR MASTIC, TROWEL MACHINE, GRINDER,		
POWER TOOLS, GUNNITE NOZZLE.\$	29.84	11.52

PLAS0555-002 06/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

ZONE 1:

	Rates	Fringes
Cement Masons:		
CEMENT MASONS DOING BOTH		
COMPOSITION/POWER		
MACHINERY AND		
SUSPENDED/HANGING SCAFFOLD	\$ 27.89	11.05
CEMENT MASONS ON		
SUSPENDED, SWINGING AND/OR	_	
HANGING SCAFFOLD	\$ 27.39	11.05
CEMENT MASONS	\$ 26.89	11.05
COMPOSITION WORKERS AND		
POWER MACHINERY OPERATORS.	\$ 27.39	11.05
Zone Differential (Add To Zone	1 Rates):	
Zone 2 - \$0.65		
Zone 3 - 1.15		
Zone 4 - 1.70		
Zone 5 - 3.00		

BASE POINTS: BEND, CORVALLIS, EUGENE, MEDFORD, PORTLAND, SALEM, THE DALLES, VANCOUVER

ZONE 1: Projects within 30 miles of the respective city hall ZONE 2: More than 30 miles but less than 40 miles from the respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.

ZONE 5: More than 80 miles from the respective city hall

PLUM0032-002 01/01/2005

CLALLAM, KING AND JEFFERSON COUNTIES

	Rates	Fringes
Plumbers and Pipefitters\$	35.63	15.43
PLUM0032-003 01/01/2005		
CHELAN, KITTITAS (NORTHERN TIP), D (NORTH) COUNTIES	OUGLAS (NORTH),	AND OKANOGAN
	Rates	Fringes
Plumbers and Pipefitters\$	25.88	12.78
PLUM0044-003 06/01/2005		
ADAMS (NORTHERN PART), ASOTIN (CLA PART), LINCOLN, PEND ORIELLE, STEV COUNTIES		
	Rates	Fringes
Plumbers and Pipefitters\$	29.76	11.69
PLUM0082-001 06/01/2005		
CLARK (NORTHERN TIP INCLUDING WOOD LEWIS, MASON (EXCLUDING NE SECTION THURSTON AND WAHKIAKUM COUNTIES		
	Rates	Fringes
Plumbers and Pipefitters\$	32.95	13.77
PLUM0265-003 06/01/2005		
ISLAND, SKAGIT, SNOHOMISH,SAN JUAN	AND WHATCOM CO	UNTIES
	Rates	Fringes
Plumbers and Pipefitters\$	32.90	13.77
* PLUM0290-003 10/01/2005		
CLARK (ALL EXCLUDING NORTHERN TIP	INCLUDING CITY	OF WOODLAND)
	Rates	Fringes
Plumbers and Pipefitters\$	33.84	15.24
PLUM0598-005 06/01/2005		
ADAMS (SOUTHERN PART), ASOTIN (EXC CLARKSTON), BENTON, COLUMBIA, DOU		

(WESTERN PART), FRANKLIN, GARFIELD, GRANT, KITTITAS (ALL BUT NORTHERN TIP), KLICKITAT, LINCOLN (WESTERN PART), OKANOGAN

(EASTERN), WALLA WALLA AND YAKIMA COUNTIES

		Rates	Fringes
Plumber	\$	32.57	16.61
PLUM0631-001	06/01/2005		

MASON (NE SECTION), AND KITSAP COUNTIES

	Rates	Fringes
Plumbers and Pipefitters All new construction, additions, and remodeling of commercial building projects such as: cocktail lounges and taverns, professional buildings, medical clinics, retail stores, hotels and motels, restaurants and fast food types, gasoline service stations, and car washes where the plumbing and mechanical cost of the project is less than		
\$100,000	.\$ 22.10	5.18
\$100,000 and over	.\$ 32.14 	13.77

TEAM0037-002 06/01/2005

CLARK, COWLITZ, KLICKITAT, PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), SKAMANIA, AND WAHKIAKUM COUNTIES

		Rates	Fringes
Truck driv	rers:		
GROUP	1\$	24.65	10.00
GROUP	2\$	24.77	10.00
GROUP	3\$	24.90	10.00
GROUP	4\$	25.16	10.00
GROUP	5\$	25.38	10.00
GROUP	6\$	25.54	10.00
GROUP	7\$	25.74	10.00
- 1.55			

Zone Differential (Add to Zone 1 Rates):

Zone 2 - \$0.65

Zone 3 - 1.15

Zone 4 - 1.70

Zone 5 - 2.75

BASE POINTS: ASTORIA, THE DALLES, LONGVIEW AND VANCOUVER

- ZONE 1: Projects within 30 miles of the respective city hall.
- ZONE 2: More than 30 miles but less than 40 miles from the respective city hall.
- ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.
- ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.
- ZONE 5: More than 80 miles from the respective city hall.

TRUCK DRIVERS CLASSIFICATIONS

- GROUP 1: A Frame or Hydra lifrt truck w/load bearing surface; Articulated Dump Truck; Battery Rebuilders; Bus or Manhaul Driver; Concrete Buggies (power operated); Concrete Pump Truck; Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations there of: up to and including 10 cu. yds.; Lift Jitneys, Fork Lifts (all sizes in loading, unloading and transporting material on job site); Loader and/or Leverman on Concrete Dry Batch Plant (manually operated); Pilot Car; Pickup Truck; Solo Flat Bed and misc. Body Trucks, 0-10 tons; Truck Tender; Truck Mechanic Tender; Water Wagons (rated capacity) up to 3,000 gallons; Transit Mix and Wet or Dry Mix 5 cu. yds. and under; Lubrication Man, Fuel Truck Driver, Tireman, Wash Rack, Steam Cleaner or combinations; Team Driver; Slurry Truck Driver or Leverman; Tireman
- GROUP 2: Boom Truck/Hydra-lift or Retracting Crane; Challenger; Dumpsters or similar equipment all sizes; Dump Trucks/Articulated Dumps 6 cu to 10 cu.; Flaherty Spreader Driver or Leverman; Lowbed Equipment, Flat Bed Semi-trailer or doubles transporting equipment or wet or dry materials; Lumber Carrier, Driver-Straddle Carrier (used in loading, unloading and transporting of materials on job site); Oil Distributor Driver or Leverman; Transit mix and wet or dry mix trcuks: over 5 cu. yds. and including 7 cu. yds.; Vacuum Trucks; Water truck/Wagons (rated capacity) over 3,000 to 5,000 gallons
- GROUP 3: Ammonia Nitrate Distributor Driver; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 10 cu. yds. and including 30 cu. yds. includes Articulated Dump Trucks; Self-Propelled Street Sweeper; Transit mix and wet or dry mix truck: over 7 cu yds. and including 11 cu yds.; Truck Mechanic-Welder-Body Repairman; Utility and Clean-up Truck; Water Wagons (rated capacity) over 5,000 to 10,000 gallons

GROUP 4: Asphalt Burner; Dump Trucks, side, end and bottom cumps, including Semi-Trucks and Trains or combinations thereof: over 30 cu. yds. and including 50 cu. yds. includes Articulated Dump Trucks; Fire Guard; Transit Mix and Wet or Dry Mix Trucks, over 11 cu. yds. and including 15 cu. yds.; Water Wagon (rated capacity) over 10,000 gallons to 15,000 gallons

GROUP 5: Composite Crewman; Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 50 cu. yds. and including 60 cu. yds. includes Articulated Dump Trucks

GROUP 6: Bulk Cement Spreader w/o Auger; Dry Pre-Batch concrete Mix Trucks; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains of combinations thereof: over 60 cu. yds. and including 80 cu. yds., and includes Articulated Dump Trucks; Skid Truck

GROUP 7: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 80 cu. yds. and including 100 cu. yds., includes Articulated Dump Trucks; Industrial Lift Truck (mechanical tailgate)

TEAM0174-001 06/01/2005

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES

	Rates	Fringes
Truck drivers:		
ZONE A: GROUP 1:	¢ 26 04	11.58
GROUP 2:	•	11.58
GROUP 3:	•	11.58
	•	11.58
GROUP 4:	•	
GROUP 5:	\$ 26.70	11.58

ZONE B (25-45 miles from center of listed cities*): Add \$.70 per hour to Zone A rates.

ZONE C (over 45 miles from centr of listed cities*): Add \$1.00 per hour to Zone A rates.

*Zone pay will be calculated from the city center of the following listed cities:

BELLINGHAM	CENTRALIA	RAYMOND	OLYMPIA
EVERETT	SHELTON	ANACORTES	BELLEVUE
SEATTLE	PORT ANGELES	MT. VERNON	KENT
TACOMA	PORT TOWNSEND	ABERDEEN	BREMERTON

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1 - "A-frame or Hydralift" trucks and Boom trucks or similar equipment when "A" frame or "Hydralift" and Boom truck or similar equipment is used; Buggymobile; Bulk Cement Tanker; Dumpsters and similar equipment, Tournorockers, Tournowagon, Tournotrailer, Cat DW series, Terra Cobra, Le Tourneau, Westinghouse, Athye Wagon, Euclid Two and Four-Wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump Trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with 16 yards to 30 yards capacity: Over 30 yards \$.15 per hour additional for each 10 yard increment; Explosive Truck (field mix) and similar equipment; Hyster Operators (handling bulk loose aggregates); Lowbed and Heavy Duty Trailer; Road Oil Distributor Driver; Spreader, Flaherty Transit mix used exclusively in heavy construction; Water Wagon and Tank Truck-3,000 gallons and over capacity

GROUP 2 - Bulllifts, or similar equipment used in loading or unloading trucks, transporting materials on job site; Dumpsters, and similar equipment, Tournorockers, Tournowagon, Turnotrailer, Cat. D.W. Series, Terra Cobra, Le Tourneau, Westinghouse, Athye wagon, Euclid two and four-wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with less than 16 yards capacity; Flatbed (Dual Rear Axle); Grease Truck, Fuel Truck, Greaser, Battery Service Man and/or Tire Service Man; Leverman and loader at bunkers and batch plants; Oil tank transport; Scissor truck; Slurry Truck; Sno-Go and similar equipment; Swampers; Straddler Carrier (Ross, Hyster) and similar equipment; Team Driver; Tractor (small, rubber-tired)(when used within Teamster jurisdiction); Vacuum truck; Water Wagon and Tank trucks-less than 3,000 gallons capacity; Winch Truck; Wrecker, Tow truck and similar equipment

GROUP 3 - Flatbed (single rear axle); Pickup Sweeper; Pickup Truck. (Adjust Group 3 upward by \$2.00 per hour for onsite work only)

GROUP 4 - Escort or Pilot Car

GROUP 5 - Mechanic

HAZMAT PROJECTS

Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C: +\$.25 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B: +\$.50 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with

a chemical "splash suit."

LEVEL A: +\$.75 per hour - This level utilizes a fullyencapsulated suit with a self-contained breathing apparatus
or a supplied air line.

TEAM0760-002 06/01/2005

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA COUNTIES

	Rates	Fringes
Truck drivers: (ANYONE WORKING ON HAZMAT JOBS SEE FOOTNOTE A BELOW) ZONE 1:		
GROUP 1	\$ 17.83	9.90
GROUP 2	\$ 20.10	9.90
GROUP 3	\$ 20.60	9.90
GROUP 4	\$ 20.93	9.90
GROUP 5	\$ 21.04	9.90
GROUP 6	\$ 21.21	9.90
GROUP 7	\$ 21.74	9.90
GROUP 8	\$ 22.07	9.90

Zone Differential (Add to Zone 1 rate: Zone 2 - \$2.00)

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston
Zone 1: 0-45 radius miles from the main post office.
Zone 2: Outside 45 radius miles from the main post office

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: Escort Driver or Pilot Car; Employee Haul; Power Boat Hauling Employees or Material

GROUP 2: Fish Truck; Flat Bed Truck; Fork Lift (3000 lbs. and under); Leverperson (loading trucks at bunkers); Trailer Mounted Hydro Seeder and Mulcher; Seeder & Mulcher; Stationary Fuel Operator; Tractor (small, rubber-tired, pulling trailer or similar equipment)

GROUP 3: Auto Crane (2000 lbs. capacity); Buggy Mobile & Similar; Bulk Cement Tanks & Spreader; Dumptor (6 yds. & under); Flat Bed Truck with Hydraullic System; Fork Lift (3001-16,000 lbs.); Fuel Truck Driver, Steamcleaner & Washer; Power Operated Sweeper; Rubber-tired Tunnel Jumbo; Scissors Truck; Slurry Truck Driver; Straddle Carrier (Ross, Hyster, & similar); Tireperson; Transit Mixers & Truck Hauling Concrete (3 yd. to & including 6 yds.); Trucks, side, end, bottom & articulated end dump (3 yards to and including 6 yds.); Warehouseperson (to include shipping & receiving); Wrecker & Tow Truck

GROUP 4: A-Frame; Burner, Cutter, & Welder; Service Greaser; Trucks, side, end, bottom & articulated end dump (over 6 yards to and including 12 yds.); Truck Mounted Hydro Seeder; Warehouseperson; Water Tank truck (0-8,000 gallons)

GROUP 5: Dumptor (over 6 yds.); Lowboy (50 tons & under); Self-loading Roll Off; Semi-Truck & Trailer; Tractor with Steer Trailer; Transit Mixers and Trucks Hauling Concrete (over 6 yds. to and including 10 yds.); Trucks, side, end, bottom and end dump (over 12 yds. to & including 20 yds.); Truck-Mounted Crane (with load bearing surface either mounted or pulled, up to 14 ton); Vacuum Truck (super sucker, guzzler, etc.)

GROUP 6: Flaherty Spreader Box Driver; Flowboys; Fork Lift (over 16,000 lbs.); Dumps (Semi-end); Mechanic (Field); Semi- end Dumps; Transfer Truck & Trailer; Transit Mixers & Trucks Hauling Concrete (over 10 yds. to & including 20 yds.); Trucks, side, end, bottom and articulated end dump (over 20 yds. to & including 40 yds.); Truck and Pup; Tournarocker, DWs & similar with 2 or more 4 wheel-power tractor with trailer, gallonage or yardage scale, whichever is greater Water Tank Truck (8,001- 14,000 gallons); Lowboy(over 50 tons)

GROUP 7: Oil Distributor Driver; Stringer Truck (cable operated trailer); Transit Mixers & Trucks Hauling Concrete (over 20 yds.); Truck, side, end, bottom end dump (over 40 yds. to & including 100 yds.); Truck Mounted Crane (with load bearing surface either mounted or pulled (16 through 25 tons);

GROUP 8: Prime Movers and Stinger Truck; Trucks, side, end, bottom and articulated end dump (over 100 yds.); Helicopter Pilot Hauling Employees or Materials

Footnote A - Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C-D: - \$.50 PER HOUR (This is the lowest level of protection. This level may use an air purifying respirator or additional protective clothing.

LEVEL A-B: - \$1.00 PER HOUR (Uses supplied air is conjunction with a chemical spash suit or fully encapsulated suit with a self-contained breathing apparatus.

Employees shall be paid Hazmat pay in increments of four(4) and eight(8) hours.

NOTE:

Trucks Pulling Equipment Trailers: shall receive \$.15/hour over applicable truck rate

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION